

SAFETY

GLOVES



Elite Looms

BY SILKY HORIZON

Industrial Textiles

SAFETY GLOVES
catalogue 2025

www.silkyhorizon.com.pk

WHO ARE Elite Looms

OUR MISSION



“We provide solutions that ensure your employees stay safe and go home in the same health that they arrived in”

T: +92 - 51 - 7069138 | E: elitelooms@silkyhorizon.com.pk

SIMPLE SOLUTIONS. POWERFUL PROTECTION.



we take care of **your hands**



THE HANDS SWEAT GLAND STATS...

THE SKIN IS USED TO REGULATE
TEMPERATURE BY PERSPIRATION
On average, our skin contains 155 sweat
glands per cm²; however, our hands have
83% more sweat glands per cm² than the
rest of our body.
The palms of our hands have 370 sweat
glands per cm².

YOUR HANDS ARE THE MOST VULNERABLE PART OF YOUR BODY...

AND THE MOST SOPHISTICATED
WORK TOOL IN THE WORLD
Hands are often actively put into high-risk
situations in the workplace. This means
that hand and arm protection is vital to
keep safe at work.
As well as your hands being the most
sophisticated work tool in the world, they
are also a communication tool through
gesture or sign language.

YOUR HAND CONTAINS 27 BONES, 36 JOINTS AND 33 MUSCLES...

IT MAKES SENSE TO PROTECT THEM
There is always good reason for the
mandatory wearing of protective gloves.
The injuries that can occur due to the
incorrect use, or non-use, of protective
gloves are many and varied. As well as
cuts, punctures, abrasions, eczemas,
allergies and burns caused by acid or heat,
regular contact with chemicals can also
result in long-term damage with serious
health repercussions, such as elevated
levels of contaminants in the blood and
organs.



Elite Looms

BY SILKY HORIZON

www.silkyhorizon.com.pk

CUT PROTECTION

Mono-fibre polymer high resistant
Maximum dexterity
DMF free: total material safety, protection of the handled objects
Washable: Hygienic, gloves can be re-used
Reduced thickness: Fine touch and better breathability
Soft touch: Texture provides comfort and feeling of freshness all day



FOAM NITRILE COATED GLOVE
CUT D A14.VECUT53

- EN388:2016 level D cut resistance
- Nitrile micro-foam coating on palm and fingertips
- Breathable and comfortable glove
- 15 gauge lightweight gloves
- Soft touch exposure for freshness
- Ultra dexterous for reduced hand fatigue
- EN388:2016 - 4X43D
- Sizes: 7, 8, 9, 10



DOUBLE COATED NITRILE GLOVE CUT D
A14.VECUT54

- 13 gauge lightweight gloves
- Increased protection of fingers
- Extra coating for extra joint strength
- EN388:2016 - 4X43D Sizes: 8, 9, 10, 11
- EN388:2016 level D cut resistance
- Double nitrile coating to work with oil, smooth nitrile, with a second foam nitrile coating for extra grip

CUT PROTECTION



KUTLASS FOAM NITRILE PALM COATED
GLOVE CUT D A14.NX500

- EN388:2016 level D cut resistance
- Nitrile foam palm coating providing excellent grip in wet and oily conditions
- Knitted foam cut resistant fibres
- Anatomically shaped to help reduce hand fatigue
- EN388:2016 - 4X44D
- EN420:2003 +A1:2009 Sizes: 7, 8, 9, 10, 11



KUTLASS FOAM NITRILE FULLY COATED
W/PROOF GLOVE CUT D
A14.KUTLASSOIL

- EN388:2016 level D cut resistance
- Fully dipped in a touch waterproof nitrile coating, with a further sandy nitrile porous foam oater coating for extra grip
- Knitted from special blend of cut resistant fibres
- EN388:2016 - 4X44D
- EN420:2003+A1:2009 Sizes: 7, 8, 9, 10, 11



LATEX PALM COATED HEAVY DUTY
KEVLAR GLOVE CUT E A14.5610

- EN388:2016 level E cut resistance
- Textured latex palm offering increased protection, grip and durability
- Constructed of a highly specialised mixture of fibres for ultra cut protection
- Sanitized hygiene for freshness and odour repellents
- Built for extended longevity
- EN388:2016 4X43E
- EN420:2004 - X2XXXX
- EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10, 11



LATEX FULLY COATED H/DUTY W/PROOF
KEVLAR GLOVE CUT E A14.5609

- EN388:2016 level E cut resistance
- Fully coated textured latex glove for additional protection in wet conditions - also offering increased protection, grip and durability
- Constructed of a highly specialised mixture of fibres for ultra cut protection
- Sanitized hygiene for freshness and odour repellents
- Built for extended longevity
- EN388:2016 - 4X43E
- EN420:2004 - X2XXXX
- EN420:2003+A1:2009 Sizes: 8, 9, 10, 11

CUT PROTECTION



PU COATED SEAMLESS GLOVE CUT C
A14.PUUH-13

- EN388:2016 level C cut resistance • PU palm coating • Seamless polyester and Azura liner • 13 gauge lightweight glove • Elasticated cuff to better fit • Extremely lightweight and dexterous • Perfect general handling glove where cut protection is required
- EN388:2016 - 4X43C
- Sizes: 8, 9, 10, 11



FULLY COATED LATEX GLOVE CUT C
A10.WS3

- EN388:2016 level C cut resistance • Fully coated smooth latex coated with a sandy latex palm finish
- Seamless polyester and Azura liner
- 13 gauge lightweight glove
- Waterproof double dipped glove
- Elasticated cuff to better fit
- Extremely lightweight and dexterous
- EN388:2016 - 2X43C
- Sizes: 8, 9, 10, 11

CUT PROTECTION



WT PU PALM COATED GLOVE CUT E
A14.55-5110

- EN388:2016 level E cut resistance • Durable PU palm coating providing good grip • 15 gauge form-fitting, lightweight liner • Rhino Yarn cut resistance technology • Dark colour liner hides dirt • Smooth and form-fitting • EN388:2016 - 3X43E
- Sizes: 7, 8, 9, 10, 11



WT FULL COATED FOAM NITRILE GLOVE
CUT E A14.55-5123

- EN388:2016 level E cut resistance • Flat nitrile full dip provides oil repellency and liquid protection keeping the hands dry and comfortable
- 15 gauge form-fitting, lightweight liner
- Rhino Yarn cut resistant technology
- High level of tactility and dexterity
- EN388:2016 - 3X43E
- Sizes: 7, 8, 9, 10, 11



WT FOAM NITRILE PALM GLOVE CUT D
A14.58-4120

- EN388:2016 level D cut resistance • Foam nitrile flex palm delivers good dry and oil grip • Ultra fine 18 gauge lightweight liner • Rhino Yarn cut resistance technology • Extremely high level of fingertip sensitivity and tactility
- EN388:2016 - 3X41D
- Sizes: 7, 8, 9, 10, 11



WT FOAM NITRILE PALM COATED GLOVE
CUT E A14.55-5120

- EN388:2016 level E cut resistance • New micropore nitrile palm delivers good dry and oil grip • 15 gauge form-fitting, lightweight liner • Rhino Yarn cut resistant technology • High level of tactility and dexterity • Breathable liner and palm coating • EN388:2016 - 3X43E • EN1149-5: 2018 • EN388:2016 level E cut resistance
- Sizes: 7, 8, 9, 10, 11



WT FOAM NITRILE PALM COATED GLOVE
CUT F A14.50-6121 (previously 50-5121)

- EN388:2016 level F cut resistance • Foam nitrile palm coated gloves • 10 gauge medium weight liner • Rhino Yarn cut resistance technology • Breathable open back and coating • Dark colour liner hides dirt • Reinforced thumb crotch • EN388:2016 - 4X43F • EN407:2004 - X1XXXX
- Sizes: 7, 8, 9, 10, 11



WT PU PALM COATED GLOVE CUT F
A14.50-6111 (previously 50-5111)

- EN388:2016 level F cut resistance • Dry PU palm coating provides secure grip • 10 gauge medium weight liner • Rhino Yarn cut resistance technology • Dark colour liner hides dirt • Reinforced thumb crotch • EN388:2016 - 4X43F
- Sizes: 6, 7, 8, 9, 10, 11

CUT PROTECTION



WT LATEX PALM COATED GLOVE CUT F A14.50-6130

- EN388:2016 level F cut resistance • Crinkle latex palm coating delivers excellent dry and wet grip
- 10 gauge medium weight liner
- Breathable open back
- Rhino Yarn cut resistance technology
- Dark colour liner hides dirt
- EN388:2016 - 4X42F
- Sizes: 7, 8, 9, 10, 11



WT FR BACKED LEATHER PALM GLOVE CUT F A14.33-6631

- 13 gauge lightweight gloves • Lightweight shell provides excellent dexterity and flexibility • Leather palm provides oil resistance and grip • Flame resistant fabric provides protection from weld spatter to the back of the hand
- Leather wrist tab provides extended protection and quick pull on action
- EN388:2016 level F cut resistance
- EN388:2016 - 4X44F
- EN407:2004 - X1XXXX
- Sizes: 8, 9, 10

CUT PROTECTION



WT ANTIMICROBIAL FOOD GLOVE CUT E A14.405B

- EN388:2016 level E cut resistance • Permanent antimicrobial component • Ambidextrous 10 gauge lightweight gloves • May be washed at up to 92°C • Colour coded to prevent cross contamination • Extended cuff for added protection • Designed for knife hand use • Suitable for vegetable preparation, food packaging, light duty meat carving.
- EN388:2016 level E cut resistance
- EN388:2016 - 2X4XE
- EN407:2004 - X1XXXX
- Sizes: 6, 7, 8, 9, 10, 11



WT ANTIMICROBIAL FOOD GLOVE CUT F A14.407B

- EN388:2016 level F cut resistance • Permanent antimicrobial component • Ambidextrous 10 gauge medium duty gloves • May be washed at up to 92°C • Colour coded to prevent cross contamination • Extended cuff for added protection • Designed for knife hand use • Suitable for butchery, fish filleting, meat processing • EN388:2016 level F cut resistance • EN388:2016 - 3X4XF • EN407:2004 - X1XXXX
- Sizes: 6, 7, 8, 9, 10, 11



8" WRISTGUARD W/ ADJUSTABLE STRAPS CUT F A14.89-5606

- Rhino Yarn cut resistant technology
- Protects the wrist and lower arm
- Adjustable sizing for accurate fit and wearer comfort
- Dark colour hides dirt
- Will not mark glass panels
- EN388:2016 level F cut resistance
- Level 4 puncture resistance
- EN388:2016 - 2X44F
- Sizes: One Size



WT FR BACKED LEATHER GLOVE CUT E A14.204

- 7 gauge medium duty gloves • Rhino Yarn cut resistant technology • Level 3 puncture resistance • Leather palm provides oil resistance and good grip
- Flame resistant fabric provides protection from weld spatter to the back of the hand
- EN388:2016 level E cut resistance
- EN388:2016 - 4X43F
- EN407:2004 - X1XXXX
- Sizes: 8, 9, 10



WT ANTIMICROBIAL FOOD GLOVE CUT F A14.410B

- EN388:2016 level F cut resistance • Permanent antimicrobial component • 10 gauge lightweight gloves • May be washed at up to 92°C • Colour coded to prevent cross contamination • Extended cuff for added protection • Designed for knife hand use • Suitable for vegetable preparation, food packaging, light duty meat carving
- Ambidextrous
- EN388:2016 - 2X4XF
- EN407:2004 - X1XXXX
- Sizes: 6, 7, 8, 9, 10, 11



ANTIMICROBIAL FOOD SLEEVE CUT E A14.420B

- EN388:2016 level E cut resistance • Permanent antimicrobial component • Low linting to prevent product contamination • May be washed at up to 92°C • Designed for use with a Tilsatec food glove • Thumb slot for a secure fit • Elasticated top to keep sleeve in place • EN388:2016 - 2X4XE • EN407:2004 - X1XXXX
- Sizes: One Size

CUT PROTECTION



PG330 ULTRA THIN CUT RESISTANT GLOVE CUT B A14.PG330

- EN388:2016 level B cut resistance · Rhino Yarn cut resistant technology · Protects the wrist and lower arm · Adjustable sizing for accurate fit and wearer comfort · Dark colour hides dirt · Will not mark glass panels · EN388:2016 level F cut resistance · Level 4 puncture resistance · EN388:2016 - 4341B · EN420:2003+A1:2009 Sizes: 7, 8, 9, 10



PG530 REINFORCED ANTI-CUT GLOVE CUT D A14.PG530

- EN388:2016 level D cut resistance · Highly durable, cut-resistant glove wth ergonomic design for wearer comfort
- Reinforced thumb crotch for durability and extended product life
- High performance anti-cut yarn liner
- Ideal in light oily environments due to high grip nitrile coating
- High levels of abrasion resistance for tough mechanical tasks
- EN388:2016 - 4443D
- Sizes: 7, 8, 9, 10

CUT PROTECTION



PG520 KEVLAR HEAT & CUT- RESISTANT GLOVE CUT E A14.PG520

- EN388 level E cut resistance · High level cut resistance and grip · Level 2 protection against intermittent heat contact up · to 250°C · High grip and heat resistance makes this glove an ideal solutions in demanding environments
- Ergonomic design for wearer comfort
- Extended cuff provides added protection
- EN388:2016 - 3X42E
- EN407:X2XXXX
- EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10



PG550 LEVEL F CUT-RESISTANT GLOVE CUT F A14.PG550

- EN388 level F cut resistance · Black nitrile palm enhancing great grip and oil resistance. · Breathable design offers exceptional moisture control · Ergonomically designed for wearer comfort · Extended cuff provides added protection · EN388:2016 - 4544F · EN420:2003+A1:2009 Sizes: 7, 8, 9, 10



PG540 CUT-RESISTANT THERMAL GLOVE CUT D A14.PG540

- EN388:2016 level D cut resistance · Acrylic terry brushed lining offers warmth in cold conditions
- Heavy duty and hard wearing with grippy latex palm and thumb coating
- Ergonomic design for wearer comfort
- Extended cuff provides added protection
- EN388:2016 - 2X42D
- EN420:2003+A1:2009
- EN511:2016 - X2X
- Sizes: 7, 8, 9, 10



PG510 ANTI-CUT OIL-RESISTANT GLOVE CUT D A14.PG510

- EN388 level D cut resistance · High performance anti-cut yarn liner · Two layers of coating offer liquid proofing and excellent grip respectively
- Anatomical shape prevents hand fatigue
- Excellent mechanical resistance to abrasions and tears with up to the cuff protection
- EN388:2016 - 4X44D
- EN407:X1XXXX
- EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10



18 GAUGE LINER, FN COAT GLOVE CUT A3/C A14.23-7518B

- EN388 level C cut resistance · 18 gauge nylon black liner, nitrile micro-foam black coating · One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement · Touchscreen resistive and capacitive · EN388:2016 - 4X42C · EN407:X1XXXX · ANSI Level Cut Resistance - A3 Sizes: 6, 7, 8, 9, 10, 11



18 GAUGE LINER, FN COAT GLOVE CUT A4/D A14.24-9518B

- EN388 level D cut resistance · 18 gauge nylon black liner, nitrile micro-foam black coating · One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388:2016 - 4X31D
- ANSI Level Cut Resistance - A4
- Sizes: 6, 7, 8, 9, 10, 11

CUT PROTECTION



13 GAUGE LINER, FN COAT GLOVE CUT A5/E A14.25-0513B

- EN388 level E cut resistance • 13 gauge nylon black liner, nitrile micro-foam black coating • One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388:2016 - 4X42E
- ANSI Level Cut Resistance - A5
- Sizes: 6, 7, 8, 9, 10, 11



13 GAUGE LINER, FN COAT GLOVE CUT A6/F A14.26-0513B

- EN388 level F cut resistance • 13 gauge nylon black liner, nitrile micro-foam black coating • One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388:2016 - 4X44F
- ANSI Level Cut Resistance - A6
- Sizes: 6, 7, 8, 9, 10, 11



13 GAUGE LINER, FN COAT GLOVE CUT A7/F A14.27-0513B

- EN388 level F cut resistance • 13 gauge nylon black liner, nitrile micro-foam black coating • One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388:2016 - 4X44F
- ANSI Level Cut Resistance - A7
- Sizes: 6, 7, 8, 9, 10, 11



10 GAUGE LINER, FN COAT GLOVE CUT A9/F A14.29-0910B

- EN388 level F cut resistance • 10 gauge nylon black liner, nitrile black thin coating • One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388:2016 - 4X44F
- ANSI Level Cut Resistance - A9
- Sizes: 6, 7, 8, 9, 10, 11

CUT PROTECTION



DURABLE FOAM NITRILE GLOVE CUT B A14.511

- EN388:2016 level B cut resistance • Nitrile foam palm coated glove • High durability for increased life, cost savings and productivity
- Silicone and DMF free, using Oeko-tex
- Anatomical shape: close fit for precision
- Durable for extra longevity
- EN388:2016 - 431B
- Sizes: 7, 8, 9, 10, 11



DURABLE FOAM NITRILE GLOVE CUT C A14.531

- EN388:2016 level C cut resistance • Nitrile foam palm coated glove • High durability for increase life, cost savings and productivity
- Silicone and DMF free, using Oeko-tex
- Anatomical shape: close fit for precision
- Durable for extra longevity
- EN388:2016 - 4341C
- Sizes: 7, 8, 9, 10, 11



SHOCK PROTECT CUSHIONED GLOVE CUT D A14.851

- EN388:2016 level D cut resistance • Shock protection, cushioning protection on upper thumb, knuckles, base fingers and palm
- Liquid resistant long last coating
- Durable, long lasting grease and oilproof palm coating
- EN388:2016 - 4X43DP
- Sizes: 7, 8, 9, 10, 11



HEAT RESISTANT SILICONE COATED GLOVE CUT E A14.WARM250D2

- EN388:2016 level E cut resistance • Silicone coated para-aramid / polyamide glove • Para-aramid felt and acrylic / cotton fleece full lining • Total length of 33cm for extended protection • Thermal insulation to 350° for 15 seconds minimum • Water repellent for liquids and hot vapours • EN388:2016 - 3X32E • EN407: 2013 - 43424X
- Sizes: 8, 9, 10, 11



HEAT RESISTANT SILICONE COATED GLOVE +INSERT CUT F A14.OILGRIP5

- EN388:2016 level F cut resistance • Silicone coated para-aramid glove • Ergonomic split cow leather water-proofed and oil-proofed reinforcements for protection and longevity
- Leather vein patch over the inner wrist
- Cuff length of 20cm for extra protection
- Thermal insulation to 350° for 15 seconds minimum
- EN388:2016 - 4X44F
- EN407: 2013 - 43XXX
- Sizes: 8, 9, 10, 11

CUT PROTECTION



LIGHTWEIGHT FIBRE GLOVE CUT B
A14.5606

- EN388:2016 level B cut resistance • High tenacity aramid yarn combines high tensile strength and cut resistance into a soft, flexible yarn
 - Light weight machine knitted glove with elasticated wrist made from 100% aramid yarn
 - EN388:2016 - X142B
 - EN407:2004 - 31XXXX
- Sizes: 7, 8, 9, 10, 11



MEDIUM WEIGHT FIBRE GLOVE CUT B
A14.5607

- EN388:2016 level B cut resistance • High tenacity aramid yarn combines high tensile strength and cut resistance into a soft flexible yarn
 - This medium weight machine knitted glove with an elasticated wrist made from 100% aramid yarn
 - EN388:2016 - X341B
 - EN407:2004 - X1XXXX
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10



HEAVY WEIGHT FIBRE GLOVE CUT B
A14.5608

- EN388:2016 level B cut resistance • High tenacity aramid yarn combines high tensile strength and cut resistance into a soft flexible yarn
 - Heavyweight machine knitted glove with an elasticated wrist made from 100% aramid yarn
 - EN388:2016 - 1441B
 - EN388:2003 - 144X
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10, 11



SLEEVE W/THUMB SLOT CUT C A14.560#
(see codes below)

- EN388:2016 level C cut resistance • High tenacity aramid yarn combines high strength and cut resistance into a soft flexible yarn
 - Double layer construction of aramid for extra protection
 - Thumb slot cut helps locate the sleeve securely and increases protection to the palm area
 - The aramid fibre provides heat protection
 - EN388:2016 - 1343C
 - EN407: 2003 - X2XXXX
- Sizes:
10": A14.5602 / 14": A14.5603 / 18": A14.5604 / 22": A14.5605

CUT PROTECTION



SHOWA NYLON PVC COATED
CHEMICAL RESIST GLOVE CUT B
A12.KV660

- EN388:2016 level B cut resistance • Fully coated PVC with additional rough finish coating • Antibacterial and anti-odour treatment • Anatomical shape to reduce hand fatigue • Seals and protects hands against chemicals • Seamless knit for added comfort • EN388:2016 - 4X42B • EN374-2: 2003 • EN374-3: 2003 - JKL
- Sizes: 8, 9, 10, 11



HR 18" LEATHER GAUNTLET WITH
APRON PALM CUT D A99.W9/G2/HR/18

- EN388:2016 Level D cut resistance • Excellent heat-handling capabilities without loss of dexterity
 - Ideal for chimney fires and handling hot debris
 - Specially treated heat-resistant leather which retains its suppleness after repeated exposure to high temperatures
 - Knitted cotton lining for comfort and thermal insulation
 - EN388:2016 - 4X44D
 - EN407:2004 - 4XXX44
- Sizes: 9, 10, 11,12



WATERPROOF HIGH IMPACT
GLOVE CUT F A14.2332905

- EN388:2016 level F cut resistance
 - Water resistant membrane to keep hands dry
 - Enhanced oil grip, dry/wet grip, level 4 abrasion resistance
 - CoreNest™ technology: reinforced TPR composite material to enhance energy absorption on back of hand for providing improved impact protection on knuckles
 - Elevated finger-tip protection, reinforced thumb crotch
 - Minimum stitching on palm for low oil permeability
 - Quick dry, moisture wicking fabric
 - Great flexibility and dexterity
 - EN388 - 4X33FP
 - EN420
- Sizes: 6, 7, 8, 9, 10, 11



XTREME HIGH IMPACT GLOVE CUT F
A14.2332902

- EN388:2016 Level F cut resistance • Enhanced oil grip, dry/wet grip, level 4 abrasion resistance • CoreNest™ technology:reinforced TPR composite material to enhance energy absorption feature on back of hand for providing improved impact protection on knuckles
 - Elevated finger-tip protection, reinforced thumb crotch
 - Minimum stitching on palm for low oil permeability
 - Quick dry moisture wicking fabric
 - Great flexibility and dexterity
 - Available with winter lining for cold environments (A14.2332904)
 - EN388:2016 - 4X22FP
 - EN420
- Sizes: 6, 7, 8, 9, 10, 11

CUT PROTECTION



NITRILE FOAM/PU PALM COAT
GLOVE CUT F A14.8814

- EN388:2016 level F cut resistance • Nitrile foam/waterbased PU, Palm-dipped • 13 gg, Stainless steel fibre yarn, Spandex, • CRF® Technology, Basalt fibre thread • Foam grip pattern • Withstands contact heat up to 100°C • EN388:2016 - 4X43F • EN407:2004 - X1XXXX • EN420:2003+A1:2009 Sizes: 6,7, 8, 9, 10, 11



NITRILE PALM DIPPED LONG GLOVE
CUT F A14.987

- EN388:2016 level F cut resistance • Nitrile, Palm-dipped • Acrylic, 7 gg, Stainless steel fibre yarn, Spandex • Sandy finish • Water and oil repellent palm • Withstands contact heat up to 250°C • Extra long, for heavy work • EN388:2016 - 4X42F • EN407:2004 - X2XXXX • EN511:2006 - XIX Sizes: 7, 8, 9, 10, 11



FULL LINED CHEMICAL PROTECT GLOVE
CUT C A14.7363

- EN388:2016 level C cut resistance • Fully lined chemical protection glove (0,3 mm *chem-layer) • 18 gg, Glass fibre thread, Spandex, CRF® Technology • Sandy finish • Oil and grease resistant • EN388:2016 - 4X32C • EN407:2004 - X1XXXX • EN420:2003+A1:2009 • EN ISO 374-1:2016/TYPE A - A3KMNO • EN ISO 374-5:2016/VIRUS Sizes: 7, 8, 9, 10, 11



ULTRA SLEEVES 45CM (PAIRS) CUT C
A14.89-5745

- 45cm long sleeve made from the naked liner used on the coated MaxiCut Ultra series • Provides cut resistance for your arms that can be worn underneath clothing • Silione free • 360° breathability • EN388:2016 - 3442C Sizes: 7, 10



GENERAL PROTECTION

GENERAL PROTECTION



HIGH GRIP AD-APT TECHNOLOGY COATED GLOVE A10.8400

• Airtech 360° breathability • Class leading form, fit and feel reducing hand fatigue • Optimized grip delivered through the microcup finish • This glove have become the benchmark for precision

handling in dry environments
• EN388:2016 - 4131A
Sizes: 5, 6, 7, 8, 9, 10, 11, 12

keeping hot hands cool,
dry and productive

30%
COOLER
HANDS

How it works - 3 INTELLIGENT STEPS

REGULATE
FOR A COOLER
GLOVE EXPERIENCE



VENTILATE
FOR A FRESHER
GLOVE EXPERIENCE



CIRCULATE
FOR A PRODUCTIVE
GLOVE EXPERIENCE



BREATHABLE COMFORT GLOVE A10.34-274-B

• 30% thinner than traditional foam nitrile gloves • Palm thickness just 0.75mm • Technology delivering 360° breathability • Optimized grip delivered through microcup finish • Class leading form, fit and feel reducing hand fatigue • Also available dotted: A10.34-244 • EN388:2016 - 4121A • Sizes: 5, 6, 7, 8, 9, 10, 11



NITRILE-FOAM PALM COATED- DIAMOND GLOVE A21.887

• Palm coated nitrile foam glove • Breathable back allowing moisture to release for improved comfort
• 13 gauge lightweight glove
• Excellent finger tip sensitivity
• Reinforced diamond grip pattern
• Water and oil repellent palm
• EN388:2016 - 4132X
Sizes: 8, 9, 10

GENERAL PROTECTION



WATER-BASED POLYMER GLOVE A10.510

• Air & Durable, 9x more durable than standard nitrile foam gloves
• Anatomical shape for a close fit with a breathable coating for comfort
• High durability for increased service life, cost savings and productivity
• Silicone and DMF free, using Oeko-tex fabric
• EN388:2016 - 4131X
Sizes: 6, 7, 8, 9, 10, 11



PERFECT POLY SKIN LIGHT/WT PU PALM COATED GLOVE A10.2400260

• Grey PU palm coating • Lightweight 18 gauge glove • Fine handling in a dry, lightly greasy or dirty environment • Excellent dexterity and breathability • Ventilated back and ultra light coating • Offers added sturdiness to wearer • Silicone free • EN388 - 2110X Sizes: 7, 8, 9, 10



OHIO TOUGH FLEXIBLE PVC COATED GLOVE A12.OHIO

• Tough flexible PVC Sponge Touch finish coating using hydropellent technology providing the highest level of grip
• Seamless nylon lining with HPT foam coated palm
• Anatomically designed for comfort, dexterity and fit
• Foam coating has encapsulated air molecules that provide cushioning
• Treated with Actifresh to kill bacteria and promote freshness
• Black colouring to hide dirt
• EN388 2003 - 4131
Sizes: 7, 8, 9, 10



SHOWA ASSEMBLY LITE NITRILE COATED GLOVES A12.265

• Nitrile palm coated glove • Seamless liner for added comfort
• A light, elastic low-lint glove, resistant to deformation • Extremely comfortable, supple, ultra-light and designed for precision • Designed for easy movement and continuous wear • Protects hands from oils, hydrocarbons, grease and abrasion
• Long elasticated cuff
• EN420:2003+A1:2009
• EN388:2003 - 3131
Sizes: 6, 7, 8, 9

GENERAL PROTECTION



PU DIPPED FINGERTIP LOW LINTING GLOVE A12.B0600

- PU dipped fingertips to protect against nicks and cuts • 13 gauge lightweight gloves • Features a knit wrist for a secure and comfortable fit • Low linting construction for minimal contamination • Suitable for use in microelectronics, precision assembly and inspection
 - Also available in grey: A10.B0601
- Sizes: 5, 6, 7, 8, 9, 10



SMOOTH PU PALM COATED SEAMLESS LINER GLOVE A10.6000

- Smooth PU coating for increased abrasion resistance • Palm dipped to increase dexterity • 13 gauge lightweight liner glove • 100% breathable liner • Seamless construction for comfort • Superb abrasion and tear resistance • Available in Black or Grey • EN420:2003+A1:2009 • EN388:2016 - 2031X • ANSI/ISEA 105 - 2016 CUT Level (A1) Sizes: 6, 7, 8, 9, 10, 11

GENERAL PROTECTION



ACEGRIP LITE TOUGH LATEX PALM COATED GRIP GLOVE A10.4060

- Premium black crinkle latex coating • Excellent durability and grip • 13 gauge lightweight glove • Lightweight, extremely comfortable for the usage over prolonged time
 - Tough, general purpose glove suitable for extensive variety of applications
 - EN388:2016 - 2131X
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10, 11



PREMIUM FOAM NITRILE PALM COATED GLOVE A10.7500

- Lunar porous finish allows moisture and oil to be conducted away from surface for enhanced grip
 - Close fitting and knit wrist for comfort
 - Offers all round breathability
 - Sanitized hygiene for extra freshness
 - Highly comfortable and flexible
 - EN388:2016 - 3121X
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10



CLICK 2000 PU PALM COATED GLOVE A10.PUGGY

- PU palm coated glove
 - Nylon machine knit liner
 - Integral elasticated wrist for added comfort and fit
 - Ideal for handling light components
 - EN388:2003 - 4131
- Sizes: S, M, L, XL



NITRA-NEO SMOOTH NITRILE PALM COATED GLOVE A10.6500

- Smooth nitrile palm coating • Elasticated wrist for a secure fit • Oil resistant palm coating • Maximum versatility gloves • Best use in dry conditions • EN388:2016 - 3122X • EN420 Sizes: 7, 8, 9, 10, 11



NITRILON FLEX PVC HPT PALM COATED GLOVE A10.6502

- Tough and flexible PVC coating using HPT providing ultimate grip in wet and dry environments
 - Maximum abrasion resistance
 - Sanitized hygiene for extra freshness
 - Seamless blue nylon liner
 - Also available 3/4 coated: A10.6503
 - EN388:2016 - 3131X
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10



NITRILON FLEX-K PVC HPT 3/4 COATED GLOVE A10.6503

- Tough and flexible PVC knuckle coating using HPT providing ultimate grip in wet and dry environments
 - Maximum abrasion resistance
 - Sanitized hygiene for extra freshness
 - Seamless blue nylon liner
 - EN420:2003+A1:2009
 - EN388:2016 - 3131X
- Sizes: 7, 8, 9, 10

GENERAL PROTECTION



PALM COATED GRIP GLOVE A10.4070

- High quality latex palm coating • Palm crinkle coating enhances users grip in the workplace • Extremely lightweight 10 gauge glove • Elasticated cuffs for extra fit • 2 strand seamless poly-cotton liner • Ultra comfortable and dexterous • EN388:2016 - 3131A • EN388:2003, EN420:2003+A1:2009 Sizes: 8, 9, 10, 11



THERMAL LATEX COATED GRIP GLOVE A10.4080

- Thick thermal 10 gauge brushed liner with excellent insulating capacities
- Contact heat level 2 tested to 250°C
- Full flat latex coating coupled with a soft foam latex knuckle coating offers a waterproof, windproof and dirt-proof finish
- EN388:2016 - 1241X
- EN407:2004 - X2XXXX
- EN511: 2006 - 011
- EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10, 11



VIS THERMAL LATEX COATED GRIP GLOVE A10.4080HV

- Thick thermal brushed liner with excellent insulating capacities
- High visibility yellow liners for easy recogniton and use in dim lighting
- Contact heat level 2 tested to 250°C
- Premium crinkle latex coating
- EN388:2016 - 2142X
- EN407:2004 - X2XXXX
- EN511: 2006 - 02X
- EN420:2003+A1:2009
- Sizes: 8, 9, 10, 11



MECHANICS GLOVE WITH ADJUSTABLE WRIST ENCLOSURE A10.KM15

- Snug fitting with adjustable wrist enclosure • Reinforced wear areas for improved service life • Suitable for general specialised handling in dry conditions • EN388:2003 - 2120 • EN388:2016 - 2120X Sizes: 7, 8, 9, 10, 11

GENERAL PROTECTION



BREATHABLE GLOVE A10.PG101

- 15 gauge Nylon/Spandex liner with durable Nitrile coating
- Anti-hand fatigue knitted technology
- Breathable Nitrile coating allows for effective moisture control
- High levels of abrasion resistance with excellent dexterity
- Extended cuff for superior fit
- EN388:2016 4131X
- EN420:2003+A1:2009
- Sizes: 8, 9, 10, 11



BREATHABLE GLOVE A10.PG102

- Built on the foundation of the PG101, this glove adds knuckle coating to its impressive list of features
- 15 gauge Nylon/Spandex liner with durable nitrile coating
- Breathable nitrile coating allows for effective moisture control
- High level of abrasion resistance with excellent dexterity
- Anti-hand fatigue knitted technology
- Extended cuff for superior fit
- Extended protection up to the knuckles
- EN388:2016 - 4131X
- EN420:2003+A1:2009
- Sizes: 8, 9, 10, 11



BREATHABLE GLOVE A10.PG103

- Featuring flexible nitrile coating across the whole hand, the Pawa PG103 glove provides complete hand protection
- 15 gauge Nylon/Spandex liner with durable nitrile coating
- Breathable nitrile coating allows for effective moisture control
- High level of abrasion resistance with excellent dexterity
- Anti-hand fatigue knitted technology
- Enhanced tactile sensitivity
- Extended cuff for breathable fit
- EN388:2016 - 4131X
- EN420:2003+A1:2009
- Sizes: 8, 9, 10, 11



DEXTEROUS GLOVE A10.PG120

- 18 gauge Nylon/Spandex liner with ultralight coating
- Breathable coating and liner allow for comfort
- Superior abrasion resistance for an ultralight glove
- Functional Liner technology decreases hand fatigue
- Durable nitrile micro foam coating
- Extended cuffs
- EN388:2016 - 3121X
- EN420:2003+A1:2009
- Sizes: 8, 9, 10, 11

GENERAL PROTECTION



COOLMAX GLOVE A10.PG121

- 13 gauge Coolmax fabric liner keeps hands cool and dry
- Superior breathability offers exceptional moisture control
- Superior dexterity
- Durable nitrile coating
- Extended cuff for comfortable fit
- EN388:2016 - 3121X

Sizes: 8, 9, 10, 11



DEXTEROUS GLOVE A10.PG122

- Latex coating combined with our PureFit fabric provides ultimate grip and dexterity
- 15 gauge high elastic polyester liner
- Breathable liner offering moisture control
- Functional liner technology decreases hand fatigue
- Durable sandy latex coating
- Extended cuff for comfortable fit
- EN388:2016 - 2121X

Sizes: 8, 9, 10, 11



WATER-REPELLENT GLOVE A10.PG201

- Fully coated dual dipped technology. The first layer of coating provides water resistance, and the second gives this glove excellent grip in wet and dry conditions.
- Anatomical hand shape
- Seamless knitted liner for added comfort
- Highly flexible coating allows comfortable hand movement
- Fully coated thumb for extra protection
- EN388:2016 - 3131X
- EN407:2004 - X2XXXX

Sizes: 8, 9, 10, 11



OIL-RESISTANT GLOVE A10.PG202

- Dual layer nitrile coated glove. The primary layer provides an effective barrier in oily environments and the second layer offers great grip
- Increased dexterity due to the seamless ultra-thin breathable liner
- Keeps hands dry
- Hard-wearing coating provides protection from abrasions, grease, oil and fossil fuel based products
- Anatomical shape prevents hand fatigue
- EN388:2016 - 4121X
- EN407:2004 - X1XXXX

Sizes: 8, 9, 10

GENERAL PROTECTION



18 G, THIN NITRILE COAT GLOVE CUT A1/A A10.21-1818B

- EN388 level A cut resistance • 18 gauge nylon black liner, nitrile black thin coating • One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- CoreShield™ High Performance Nitrile coating
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388 2016 - 4X21A
- ANSI Level Cut Resistance - A1

Sizes: 6, 7, 8, 9, 10, 11



FOAM NITRILE COAT GLOVE CUT A1/A A10.21-1518B

- EN388 level A cut resistance • 18 gauge nylon black liner, nitrile black thin coating • One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388:2016 - 4X21A
- ANSI Level Cut Resistance : A1

Sizes: 8, 9, 10, 11



FOAM NITRILE COAT GLOVE CUT A2/B A10.22-7518B

- EN388 level B cut resistance • 18 gauge nylon black liner, nitrile black thin coating • One of the lightest cut-protective gloves in the market, helps prevent hand fatigue
- 360° breathability, excellent grip performance, abrasion resistance, excellent dexterity and longer cuff for wrist protection
- Thumb reinforcement
- Touchscreen resistive and capacitive
- EN388:2016 - 4X31B
- ANSI Level Cut Resistance - A2

Sizes: 6, 7, 8, 9, 10, 11



LITE NITRILE COATED GLOVE A10.G/N-DUOLITE

- Premium fully coated Nitrile glove • Second sandy nitrile coating to the palm for increased grip and protection in wet and oily situations
- Incredibly soft grey 18gg seamless nylon liner increases wearer comfort
- Hardwearing glove with good resistance to abrasion
- Offers an excellent barrier to oils and greases
- EN420:2003+A1:2009
- EN388:2016 4121X

Sizes: 7, 8, 9, 10, 11

GENERAL PROTECTION

THE COMPLETELY
BIODEGRADABLE GLOVE

BIODEGRADABLE NITRILE
SPONGE COAT GLOVE A10.4552

- Biodegradable Eco Best Technology® within liner and coating, enables the glove to biodegrade once disposed of in landfill
- Lightweight, seamless 15 gauge polyester liner
- Sponge nitrile palm featuring oil absorbency properties
- Provides good grip and hand protection when working with oils, grease and abrasive surfaces
- Seamless and breathable for optimum comfort
- EN420:2003+A1:2009
- EN388:2003 : 4121
- Sizes: 6, 7, 8, 9, 10



GENERAL PROTECTION - WATERPROOF

COATED SAFETY CUFF WATERPROOF
GLOVE A08.A827

- Heavy weight, high quality nitrile coated jersey cotton lining
- Canvas safety cuff for ultra protection
- Offers excellent abrasion resistance and good resistant to oils and greases
- Sanitized hygiene function bringing increased freshness, comfort and protection over prolonged periods of time
- EN388:2016 - 4121X
- Sizes: 9, 10



RED PVC FULLY COATED KNIT-WRIST
WATERPROOF GLOVE A15.6202

- White interlock liner • Red fully dipped PVC coating with knitwrist • Suitable for general handling, maintenance, construction, recycling, plumbing and assembly
- EN388:2003 – 4121
- Sizes: One Size



GENERAL PROTECTION - WATERPROOF

NITRILE FULL COATED W/PROOF
GLOVE
A12.SK22

- Cotton liner with a lightweight nitrile coating • Durable with an excellent grip • Warm and comfortable to wear • Anti-bacterial treatment to reduce odours • Seamless liner prevents wearer irritation • Knitted wrist for a improved secure fit • EN388:2016 - 4111X Sizes: 8, 9, 10



COATED KNIT-WRIST
W/PROOF GLOVE
A08.A825

- Heavy weight, high quality nitrile coated jersey cotton lining
- Comfortable knitted wrist for improved fit
- Offers excellent abrasion resistance and good resistant to oils and greases
- Sanitized hygiene function bringing increased freshness over long wear
- EN388:2016 - 4121X
- Sizes: 8, 9, 10



NITRILE FOAM/PU DOUBLE
DIPPED GLOVE
A10.8804

- Synthetic glove • Nitrile, nitrile foam/waterbased PU,
- fully dipped, double-dipped, nylon, 18gg, Spandex
- Foam grip pattern
- Withstands contact heat up to 100°C
- Oil and grease resistant, waterproof
- EN388:2016 - 4121X
- EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10, 11



FULLY COATED KNIT-WRIST
WATERPROOF GLOVE A10.56-427

- AirTech micro-foam nitrile palm coating offering 360° breathability
- 1,30mm palm thickness
- Seamless stretch nylon liner for added wearer comfort
- Technology providing comfortable fit reducing hand fatigue
- Maximum flexibility and dexterity
- Fully dipped coating
- EN388:2016 - 4121A
- EN420:2003
- Sizes: 7, 8, 9, 10, 11



FULL COATED WATERPROOF LATEX
GLOVE CUT C A10.WS3

- EN388:2016 level C cut resistance • Fully coated smooth latex coated with a sandy latex palm finish
- Seamless polyester and Azura liner
- 13 gauge lightweight glove
- Waterproof double dipped glove
- Elasticated cuff to better fit
- Extremely lightweight and dexterous
- EN388:2016 - 2X43C
- Sizes: 8, 9, 10, 11



GENERAL PROTECTION - RIGGERS



STANDARD RIGGER GLOVE
A08.2010

- Standard split leather rigger
 - Striped cotton back
 - Pasted cuff and leather knuckle strap
 - Economical style for a variety of low risk applications
- Sizes: One Size



SUPERIOR RIGGER GLOVE
A08.2014

- White split leather B-Flex Rigger glove
 - Heavyweight cotton backing and safety cuff
 - Good fitting large size
 - Fleecy lined palm and thumb-face for added comfort
 - EN388:2016 - 4244X
- Sizes: One Size

GENERAL PROTECTION - RIGGERS



NITRILE COATED LP GLOVE CUT C
A14.34-450LP

- EN388:2016 level C cut resistance • Leather palm for enhanced grip in oily environments • High abrasion resistance for long life • Reinforced thumb crotch for extended life • 2,50mm palm thickness • EN388:2003 - 4332 • EN388:2016 - 4342C • EN 407:2004 - X1XXXX Sizes: 8, 9, 10, 11



NITRILE COATED LP GLOVE CUT D
A10.34-470LP

- EN388:2016 Level D cut resistance • Leather palm for enhanced grip in oily environments • High abrasion resistance for long life • Reinforced thumb crotch for extended life • 2,60mm palm thickness • EN388:2003 - 4543 • EN388:2016 - 444D Sizes: 7, 8, 9, 10, 11



DOUBLE PALM ROBUST RIGGER GLOVE
A08.2017

- 1-1.2mm thick leather with a green second palm which extends up to the thumb and forefinger with a maximum thickness of 2mm
 - Leather knuckle protection
 - Soft fleece lining on palm and fingers
 - Elasticated back for secure fit
 - EN388:2016 - 3131X
 - EN420:2003+A1:2009
- Sizes: One Size



PREMIUM COW GRAIN LEATHER
RIGGER GLOVE A08.2018

- 8oz cotton drill backing • Rubberised cuff for improved wrist protection • Fleecy lining for snug comfort • Traditional, tough and hard wearing • Excellent abrasion, cut and puncture resistance • EN388:2016 - 3143X • EN420:2003+A1:2009 Sizes: One Size



UNLINED LEATHER DRIVERS GLOVE
A08.2912

- Warmth and protection during a variety of activities including rigging, strapping and vehicle handling
 - Half elastication to back cuff for extra comfortable fit
 - EN388:2016 - 1122X
- Sizes: 7, 8, 9, 10, 11



LINED LEATHER DRIVERS GLOVE CUT
B A08.2914

- Soft grain leather finish • Gun pattern design • Half elastication to back cuff for extra comfortable fit • Fleece liner for added warmth • EN388:2016 - 3X44B
- Sizes: 9, 10

GENERAL PROTECTION - FINGERLESS / DOTTED



FINGERLESS GLOVE CUT B A14.PU30012

- EN388:2016 level B cut resistance
 - Specialised HPPE yarn provides good protection and close fitting
 - Seamless for added wearer comfort
 - Lightweight and breathable for further comfort
 - PU coating offers excellent grip
 - Open thumb and first 2 fingers
 - Sanitized to promote freshness
 - EN388:2016 - 4343B
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10



FINGERLESS GLOVE CUT C A14.PU500G12

- EN388:2016 level C cut resistance
 - Specialised HPPE yarn provides good protection and close fitting
 - Seamless for added wearer comfort
 - Lightweight and breathable for further comfort
 - PU coating offers excellent grip
 - Open thumb and first 2 fingers
 - Sanitized to promote freshness
 - EN388:2016 - 4X42C
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10

GENERAL PROTECTION - FINGERLESS / DOTTED



DOT GLOVE A09.NLFFPIC

- PVC dotted palm for enhanced grip
 - Breathable seamless liner
 - Performs well in dry conditions
 - Excellent in jobs that require high dexterity
 - EN388:2016 - 214XX
 - EN420
- Sizes: 7, 8, 9, 10, 11



DOT GRIP GLOVE A09.PDG

- PVC dotting to the palm for increased grip and durability
 - PVC fingertips for added grip
 - 10G Polyester
 - Designed for mechanical risks
 - EN388:2003 - 224X
- Sizes: S, M, L, XL



SOFT ACRYLIC FINGERLESS GLOVES A08.2905

- Soft acrylic fingerless gloves
 - Combining warmth with extra dexterity
 - Seamless construction for comfort
 - Ideal glove for low temperature or outdoor work where maximum dexterity is required
- Sizes: One Size



NYLON LOW LINTING POLKA DOT 2 FINGERLESS GLOVE A09.NLFF2PIK

- Low linting nylon shell to minimise contamination of products
 - Soft, seamless construction
 - PVC dotting to the palm for increased grip and durability
 - PVC fingertips for added grip
 - Open thumb and index finger
 - Available fingerless: A09.NLFFPICF
 - EN388:2016 - 2141X
 - EN420:2003+A1:2009
- Sizes: 7, 8, 9, 10



HI-THERM AMBIDEXTROUS INSULATING GLOVE A08.2904

- Taking thermal insulating gloves to a new level in efficient ambidextrous design
 - Soft brushed inner for excellent insulation and comfort
 - Seamless construction gloves
 - Can be worn alone or as a thermal barrier liner
 - Stretchy formulation to cater for most hand sizes
 - Also available dotted: A08.2904D
 - EN388:2016 - 112XX
 - EN511:2006 - X1X
- Sizes: 7, 9



HI-THERM POLKA DOT GRIP GLOVE A08.2904D

- Taking thermal insulating gloves for a new level in close fitting designs
 - PVC dotting for enhanced grip
 - Soft brushed inner for excellent insulation and comfort
 - Seamless construction for comfort
 - EN388:2016 - 112XX
 - EN420:2003+A1:2009
 - EN511:2006 - X1X
- Sizes: 7, 9

GENERAL PROTECTION - LINERS



POLYCO HITHERM POLKA DOT GRIP GLOVE A09.7802GP

- Provides insulation against the cold • Seamless construction will not irritate wearer • Thermal yarn provides excellent close fit and dexterity • Can be worn on either hand increasing the life of the glove • EN1186 - suitable for food contact **Sizes: 7, 9**



HEAVY/WT COTTON STOCKINETTE KNIT-WRIST LINER GLOVE A09.3040

- Knitted stockinette glove • Lightweight • Many and varied uses, light handling of dry product • Makes an excellent liner • 100% cotton **Sizes: One Size**

GENERAL PROTECTION - LINERS



LOW LINTING POLYESTER SHELL GLOVE A09.NLPW

- Soft, seamless construction for added wearer comfort • Range of sizes to ensure secure and snug fit • Good dexterity • EN388:2016 - 0141X **Sizes: 7, 8, 9, 10**



CLOSE FITTING KNITTED POLYESTER GLOVE A09.4200

- Seamless knitted polyester glove for excellent comfort • Offers excellent dexterity • Recommended for precise general handling, detailed assembly and inspection of dry items where there are NO mechanical or chemical risks to the user • Not suitable to use with liquids **Sizes: 8, 10, 11**



LIGHTWEIGHT MIXED FIBRE GLOVE A09.3057

- Mixed fibre non specific glove • 70/30 cotton / polyester blend • Can be used as a heavyweight liner **Sizes: One Size**



LIGHTWEIGHT COTTON STOCKINETTE LINER GLOVE A09.3038

- Ideal for product protection or light handling applications • Can also be used as a liner under another glove or gauntlet **Sizes: One Size**



CROSS GRIP SEAMLESS SOFT LINER GLOVE A10.4006

- Seamless knitted constructed glove for added comfort • Elasticated wrist to better fit • Coated with a clear, soft PVC criss cross pattern on both sizes • Ambidextrous • PVC pattern allows for extreme grip • EN388:2016 - 1131X • EN420:2003+A1:2009 **Sizes: One Size**

require samples?



write on us
elitelooms@silkyhorizon.com.pk

WE'RE HERE FOR YOU



THERMAL PROTECTION

THERMAL PROTECTION - WELDING



STANDARD LINED RED WELDERS
A08.2059

- High quality traditional red welders gauntlet · Minimum leather thickness of 1mm · Includes a cotton lining to the cuff, with a soft, comfortable lining
 - Partial welting to the seams and finger tips and self hemmed
 - EN388:2016 - 4143X
 - EN407:2004 - 413X4X
 - EN12477:2001+A1: 2005
- Sizes: One Size



PREMIUM LINED BLUE WELDERS
A08.2060

- Superior quality traditional blue welders gauntlet · Minimum leather thickness of 1mm · Fully lined for added heat insulation and comfort · Reinforced thumb and crotch area · Partial welting to the seams and finger tips and self hemmed
 - EN388:2016 - 4143X
 - EN407:2004 - 413X4X
 - EN12477:2001+A1: 2005
- Sizes: One Size



PREMIUM LINED BLUE DOUBLE PALM WELDERS
A08.2060D

- Superior quality blue welders gauntlet with high quality split leather
 - Minimum leather thickness of 1mm
 - Includes a double thickness palm for extra protection and durability
 - Fully lined for extra heat insulation
 - Partial welting to the seams and finger tips and self hemmed
 - EN388:2016 - 4143X
 - EN407:2004 - 413X4X
 - EN12477:2001+A1: 2005
- Sizes: One Size



PREMIUM GOLD WELDERS GAUNTLET
A08.2061

- Premium quality reinforced gold welders gauntlet
 - Reinforced palm area for added durability
 - Inner lining for increased protection and wearer comfort
 - Kevlar stitched
 - Fully welted
 - EN420:2003/A1:2009
 - EN388:2016 - 4122X
 - EN407:2004 - 413X4X
 - EN12477:2001+A1:2005 - AAAA
- Sizes: One Size

THERMAL PROTECTION - WELDING



PREMIUM TIG WELDERS GAUNTLETS
A08.2204

- Premium tig welders gauntlet made from high quality goat leather
- Reinforced with a golden cow split leather cuff for superb wrist protection
- High tenacity aramid fibre stitching throughout for longevity
- EN388:2016 - 3121X
- EN407:2004 - 41XX4X
- EN12477:2001+A1: 2005
- Sizes: One Size



HR 18" LEATHER GAUNTLET WITH
APRON PALM CUT D A99.W9/G2/HR/18

- EN388:2016 Level D cut resistance • Excellent heat-handling capabilities without loss of dexterity
- Ideal for chimney fires and handling hot debris
- Specially treated heat-resistant leather which retains its suppleness after repeated exposure to high temperatures
- Knitted cotton lining for comfort and thermal insulation
- EN388:2016 - 4X44D
- ENB407:2004 - 4XXX44
- Sizes: 9, 10, 11,12

THERMAL PROTECTION - WELDING



17 HEAT RESISTANT FULLY LINED
GLOVE A21.17

- Cat II • Fully lined 1.2 - 1.4mm glove • Top quality split cowhide outer • Reinforced seams for longevity • 180° elasticity for secure fit • Withstands contact heat up to 100°C • 240mm - 280mm length range • EN388:2003 - 3223 • EN407:2004 - 413X4X Sizes: 8, 10, 11



HEAT RESISTANT FULLY LINED
WELDING GLOVE A21.19

- Cat III • Fully lined 1.2 - 1.4mm glove • Top quality split cowhide outer • Reinforced seams for longevity • 180° elasticity for secure fit • Withstands contact heat up to 100°C • 320mm - 365mm length range • EN388:2016 - 3143X • EN407:2004 - 41314X • EN12477:2001+A1: 2005
- Sizes: 8, 9, 10, 11



STANDARD TIG WELDERS GAUNTLET
A08.PRED6

- Great quality goat-hide gauntlet
- Leather cuff for increased wrist protection
- Twaron heat resistant thread for longevity of gauntlets
- Chrome split leather on back of hand
- Incredibly dexterous
- EN388:2016 - 2122X
- EN407:2003 - 413X4X
- Sizes: One Size



SPLIT BACK TIG WELDERS GAUNTLET
A08.PRED6SB

- Great quality goat-hide gauntlet
- Leather cuff for increased wrist protection
- Additional leather thumb and crutch vein patch
- Twaron heat resistant thread for longevity of gauntlets
- Chrome split leather on back of hand
- Incredibly dexterous
- EN388:2016 - 2121X
- EN407:2003 - 412X4X
- Sizes: One Size



HEAT RESISTANT UNLINED
WELDING GLOVE A21.118A

- Cat. III • Unlined 0.7 - 0.8mm glove • Full grain goatskin, split cowhide • Reinforced seams for longevity • 180° elasticity for secure fit • Withstands welding sparks and grinding splash • EN388:2016 - 3121X • EN407:2004 - 412X4X • EN12477:2001+A1: 2005
- Sizes: 7, 8, 9, 10, 11, 12



HEAVY DUTY WELDING GAUNTLET
A99.1500C

- Aluminised woven kevlar back • Heavy duty split leather support palm • Wing thumb with part welted seams • Kevlar stitched • Withstands contact heat up to 250°C • Withstands radiant heat up to 1000°C • Fully lined with brushed cotton • Woolen felt lining to palm only • EN388 Cat 2 • EN420 • EN1247
- Sizes: One Size

THERMAL PROTECTION - WELDING



HEAT RESIST KEVLAR LINED WELDING GLOVE A21.134

Reinforced seams for longevity • 180° elasticity for secure fit • Water and oil repellent • EN388:2016 - 3X22C • EN407:2004 - 41234X • EN12477:2001+A1: 2005
Sizes: 7, 8, 9, 10, 11



HEAT RESISTANT SILICONE COATED GLOVE +INSERT CUT F A14.OILGRIP5

- EN388:2016 level F cut resistance • Silicone coated para-aramid glove • Ergonomic split cow leather water-proofed and oil-proofed reinforcements for protection and longevity
- Leather vein patch over the inner wrist
- Cuff length of 20cm for extra protection
- Thermal insulation to 350° for 15 seconds minimum
- EN388:2016 - 4X44F
- EN407:2013 - 43XXX
- Sizes: 8, 9, 10, 11



HEAT RESISTANT SILICONE COATED GLOVE CUT E A14.WARM250D2

• EN388:2016 level E cut resistance • Silicone coated para-aramid / polyamide glove • Para-aramid felt and acrylic / cotton fleece full lining • Total length of 33cm for extended protection • Thermal insulation to 350° for 15 seconds minimum • Water repellent for liquids and hot vapours • EN388:2016 - 3X32E • EN407:2013 - 43424X
Sizes: 8, 9, 10, 11

NOT SURE WHAT GLOVES YOU NEED?



Contact Slater Safety to arrange an on-site glove survey to get a bespoke hand protection package that works for your team and provides optimum protection and comfort.

write us ON:
elitelooms@silkyhorizon.com.pk

THERMAL PROTECTION- HEAT PROTECTION



L/WT FR BACKED LEATHER PALM GLOVE CUT F A14.33-6631

- EN388:2016 level F cut resistance • 13 gauge lightweight gloves • Lightweight shell provides excellent dexterity and flexibility • Leather palm provides oil resistance and grip
- Flame resistant fabric provides protection from weld spatter to the back of the hand
- Leather wrist tab provides extended protection and quick pull on action
- EN388:2016 - 4X44F
- EN407:2004 - X1XXXX
- Sizes: 8, 9, 10



M/WT FR BACKED LEATHER GLOVE CUT E A14.204

- EN388:2016 level E cut resistance • 7 gauge medium duty gloves • Rhino Yarn cut resistant technology
- Level 3 puncture resistance • Leather palm provides oil resistance and good grip
- Flame resistant fabric provides protection from weld spatter to the back of the hand
- EN388:2016 - 4X43F
- EN407:2004 - X1XXXX
- Sizes: 8, 9, 10



TEMPTEC 332 THERMAL INSULATION WATERPROOF GLOVE A01.332

• Multi-layer construction for optimum resistance • Double knit inner for added comfort • Embossed texture for excellent grip • Ideal for extreme temperatures - hot or cold • Withstands contact heat up to 200°C • EN388:2016 - 2212X • EN407:2004 - X2XXXX • EN 374-1: Type A - ACLMNS • EN511: 111
Sizes: 8, 9, 10



SPONTEX 476 THERMAL INSULATION WATERPROOF GAUNTLET A01.476

• Colour meets catering industry clothing standards • Washable interior and exterior • Resistant to oil, greases and detergent products • Withstands contact heat up to 150°C • Long cuff (45cm) to protect forearms when handling hot dishes

• EN388:2003 - 4443

• EN407:2004 - X2XXXX

• EN 374-1: Type A - AJKL

• EN511: 111

Sizes: 7, 9, 10

THERMAL PROTECTION- HEAT PROTECTION



DOUBLE LAYERED COTTON GRIP GLOVE A09.9011

- Features a nitrile grip coating • Double layer knitted cotton for added comfort whilst maintaining excellent dexterity
- Durable material for longevity
- Can be worn on either hand
- Withstands contact heat up to 250°C
- EN388:2003 - 4443
- EN407:2004 - X2XXXX
- Sizes: One Size



HEAVY DUTY TERRYCLOTH BAKERS MITT A14.7724

- Double thickness cotton terrycloth to the hand for excellent insulation
- Extended cuff for added protection to the wrist and forearm
- Ambidextrous design for longevity
- Withstands contact heat up to 250°C
- EN388:2016 - 2232X
- EN407:2004 - X2XXXX
- Sizes: One Size



THERMAL PROTECTION KEVLAR GLOVE A14.2232086

- 100% kevlar knitted glove • Lined with one cotton knitted glove for maximum comfort • 10cm long elastic wrist • Ambidextrous for added longevity • Withstands contact heat between 250 - 350°C • EN388:2003 - 4443 • EN407:2004 - X2XXXX
- Sizes: 7, 9



JOLLY MOLLY THERMAL OVEN MITT A18.101905

- Double sided professional oven mitt
- Provides excellent thermal insulation
- EN388:2016 - 2121X
- EN407: 2003 - 412X4X
- Sizes: One Size

THERMAL PROTECTION- COLD PROTECTION



M PALM COATED LINER GLOVE A21.30-201

- Thermal lined glove for general handling in cold conditions • Natural latex on a seamless synthetic liner with a patented non-slip grip coating
- Latex coating gives excellent grip in wet or dry conditions
- Palm coating offers resistance from water and glove retains breathability on the back of the hand
- Suitable for use in temperatures as low as -15°C
- Suitable for use with contact heat up to +250°C for 15 seconds
- Available as 3/4 dipped - A21.30-202
- EN388 2016 - 1241B
- EN511:2016 - X1X
- EN407:2004 - X2XXXX
- Sizes: 6, 7, 8, 9, 10, 11



DOT GRIP GLOVE A09.7802GP

- Provides insulation against the cold • Seamless construction will not irritate wearer • Thermal yarn provides excellent close fit and dexterity • Can be worn on either hand increasing the life of the glove
- Sizes: 7, 9



HI-THERM AMBIDEXTROUS INSULATING GLOVE A08.2904

- Taking thermal insulating gloves to a new level in effecient ambidextrous design
- Soft brushed inner for excellent insulation and comfort
- Seamless construction gloves
- Can be worn alone or as a thermal barrier liner
- Stretchy formulation to cater for most hand sizes
- Also available dotted: A08.2904D
- EN388:2016 - 112XX
- Sizes: 7, 9



THERMAL WATERPROOF GLOVE A10.406

- Full foam latex coating with second latex coating on the palm
- Water repellent surface
- High level of flexibility to reduce hand fatigue
- Thermal lined keeps hands warm and dry
- Protects hands down to -30°C
- EN388:2003 - 2131
- EN511:2006
- Sizes: 7, 8, 9, 10

THERMAL PROTECTION- COLD PROTECTION



WATERPROOF GLOVE A15.R430

- Made from specially formulated PVC outer which remains flexible in cold
 - Triple dipped non slip glove
 - Knitted acrylic/wool lining for warmth
 - Soft and flexible cuff
 - EN388:2016 - 4121X
 - EN511:2006 - 121
 - EN374-1:2016 - AKL
- Sizes: L, XL



FULLY INSULATED HPT COATED THERMAL GLOVE A12.ICETHERM

- Tough tear resistant nylon outer and coated in a flexible HPT grip coating
 - Designed to stay flexible in extreme cold
 - Brushed acrylic terry loop inner allows for outstanding thermal insulation and comfort
 - EN388:2016 - 3231X
 - EN511:2006 - X2X
- Sizes: 7, 8, 9, 10

THERMAL PROTECTION- COLD PROTECTION



SYNTHETIC LEATHER WINTER GLOVE A21.517

- Synthetic winter lined glove • Reinforced index finger and fingertips for longevity • Windproof and waterproof for extra wearer warmth • EN388:2003 - 1121
 - EN511:2006 - 11X
- Sizes: 6, 7, 8, 9, 10, 11, 12



HI-VIS TOUCH SCREEN SYNTHETIC LEATHER GLOVE A21.9128

- Synthetic winter lined glove • Diamond grip pattern for ultimate grip • Hi-Vis backing ideal for outdoor night
 - Waterproof for extra wearer warmth • Elasticated 360° for more secure fit • Fleece and Thinsulate 40g lining for maximum warmth • Touch screen fingertip capabilities • EN388:2016 - 1121X • EN511:2006 - 111
- Sizes: 6, 7, 8, 9, 10, 11, 12



CUFF LEATHER INSULATED GLOVE A08.2909

- Made from premium quality leather which is soft, resilient and provides excellent grip
 - Spandex on the back of the hand allow for total flexibility in hand movement
 - Fleecy lining to keep hands warm
 - Waterproof membrane keeps hands dry
 - Also available with a long cuff: A08.2911
 - EN388:2016 - 2212X
 - EN511:2006 - 22X
- Sizes: 6, 7, 8, 9, 10, 11

Available with long cuff A08.2911



THERMAL PROTECTION GLOVES A20.691

- Provides excellent cold protection • Enhanced dexterity and excellent fit • Palm coating offers a firm grip in both wet and dry environments
 - Extra long elasticated cuff
 - Breathable thinsulate improves comfort
 - Cold resistant down to -50°C
 - Approved for food handling
 - EN388:2016 - 2121X
 - EN511:2006 - 12X
- Sizes: 7, 8, 9, 10, 11



LEATHER THERMAL PROTECTION GLOVE A21.296

- Winter-lined leather glove • Windproof and waterproof for extra wearer warmth • Elasticated 360° for more secure fit • Thinsulate 150g lining for warmth • EN388:2003 - 2121 • EN511:2006 - 120
- Sizes: 6, 7, 8, 9, 10, 11, 12



WATER-REPELLENT MULTI-NORM GLOVE A08.PG241

- Seamless thermal knitted liner provides warmth in cold conditions
 - First coating provides water-repellency, second coating provides excellent grip
 - Highly flexible coating allows comfortable hand movement
 - Fully coated thumb for extra protection
 - Excellent grip in wet and dry conditions
 - EN388:2016 - 2232X
 - EN 511:2016 - X2X
 - EN 407 - X2XXXX
- Sizes: 6, 7, 8, 9, 10, 11, 12

THERMAL PROTECTION- COLD PROTECTION



GLOVE A08.PG400

- 15 gauge Thermolite® liner provides superior warmth in cold conditions
- Fully coated thumb for extra protection
- Hard-wearing coating provides protection from abrasion and punctures
- Keeps hands warm and provides excellent grip and dexterity
- EN388:2016 - 3143X
- EN511:2016 - X2X
- Sizes: 6, 7, 8, 9, 10, 11, 12



WATERSAFE THERMAL LINED GLOVE A10.WS4

- 15 Gauge Polyester outer liner with a 7 gauge acrylic loop inner liner
- Waterproof - double dipped
- Fully coated in Smooth Latex, finished with Sandy Latex palm dip
- Tested against contact cold
- Elasticated cuff with coloured cuff size indicator
- EN511:2006 - X21
- EN388:2016 - 2242X
- Sizes: 8, 9, 10, 11



NITRILE FOAM/PU PALM DIPPED GLOVE A08.8810

- Cold insulation gloves • Synthetic glove, Nitrile foam/waterbased PU, Palm-dipped • Acrylic, Nylon, 10 gg, 15 gg, Spandex • Foam grip pattern, Fleece • Withstands contact heat up to 100°C • EN388:2016 - 4221X • EN407:2004 - X1XXXX • EN420:2003+A1:2009 • EN511:2006 - X2X Sizes: 7, 8, 9, 10, 11, 12

NEED ADVICE?

Have a chat with one of our professional team today. We're here to guide you through the realm of hand protection options and make the choice simple and straightforward for YOU: write us on:
elitelooms@silkyhorizon.com.pk



FOOD SAFE



TOUCHSCREEN L/WT
FOOD SAFE GLOVE
A10.TS1

- Nylon and spandex liner • Revolutionary PolyMax palm coating • 15 gauge lightweight glove • 360° breathability for ultimate comfort
 - Palm area compatible with touchscreen
 - Incredibly hard-wearing
 - Ultra light weight for long usage
 - Suitable for use in food industries
 - EN388:2016 - 4131X
- Sizes: 8, 9, 10, 11



TOUSCREEN L/WT FOOD
SAFE GLOVE CUT
C A10.TS2

- EN388:2016 level C cut resistance • Nylon, spandex and TekArmor liner • Revolutionary PolyMax palm coating • Dexterous 18 gauge lightweight glove • 360° breathability for ultimate comfort
 - Palm area compatible with touchscreen
 - Incredibly hard-wearing
 - Ultra light weight for long usage
 - Suitable for use in food industries
 - EN388:2016 - 4X41C
- Sizes: 8, 9, 10, 11



TOUCHSCREEN L/WT
FOOD SAFE GLOVE CUT F
A10.TS3

- EN388:2016 level F cut resistance • TekArmor liner • Revolutionary PolyMax palm coating • Dexterous 18 gauge lightweight glove • 360° breathability for ultimate comfort
 - Palm area compatible with touchscreen
 - Incredibly hard-wearing
 - Ultra light weight for long usage
 - Suitable for use in food industries
 - EN388:2016 - 4X42F
- Sizes: 8, 9, 10, 11



SUPERFOOD RUBBER GLOVE A01.177

- Excellent dexterity : a thin glove in a supple material • Chlorinated finish ensures enhanced protection of the products handled
 - Embossed grip for a safe handling
 - Suitable for food handling
 - EN388:2016 - 0010X
 - EN 374-1: Type B - KPT
- Sizes: 6, 7, 8, 9, 10



THERMAL INSULATION WATERPROOF
GLOVE A01.476

- Colour meets catering industry clothing standards • Washable interior and exterior • Resistant to oil, greases and detergent products • Withstands contact heat up to 150°C • Long cuff (45cm) to protect forearms when handling hot dishes.
 - EN388:2003 - 4443
 - EN407:2004 - X2XXXX
 - EN 374-1: Type A - AJKL
 - EN511: 111
- Sizes: 7, 9, 10

FOOD SAFE
Elite Loom

The Elite Loom range are full stainless steel gloves with an attached textile strap. Elite Loom is a fully reversible product range, and is equipped with heavy duty ad- justable straps and press stud fastenings. This is one of the best chainmail metal safety gloves for cut resistance protection

FEATURES:

- Smooth textile straps to adapt to all wrist profiles
- Fully reversible gloves that can be used on the left or right hand
- Wrist fastens with press stud and adjustable buckle
- The high quality of the chain mesh reduces the number of repairs, and extends the product's life time
- Conforms to quality assurance: ISO 9001 / 2000, EN420:2003, EN388:2003
- Puncture proof - excellent at preventing stabs and cuts to the hand
- Light weight, flexible and ambidextrous - outstanding comfort and operator safety



CHAINMAIL GLOVE A13.4502

Sizes: 6, 7, 8, 9, 10



7.5CM SHORT CUFF NYLON STRAP
GAUNTLET A13.45BZ-0403R

Sizes: 6, 7, 8, 9, 10



15CM MEDIUM CUFF NYLON STRAP
GAUNTLET
A13.45BZ-0504R

Sizes: 6, 7, 8, 9, 10



19CM LONG CUFF NYLON STRAP
GAUNTLET
A13.45BZ-030

Sizes: 6, 7, 8, 9, 10

FOOD SAFE



L/WT ANTIMICROBIAL FOOD GLOVE
CUT E A14.405B

• EN388:2016 level E cut resistance • Permanent antimicrobial component • 10 gauge lightweight gloves • May be washed at up to 92°C • Colour coded to prevent cross contamination • Extended cuff for added protection • Designed for knife hand use • Suitable for vegetable preparation, food packaging, light duty meat carving

• Ambidextrous
• EN388:2016 - 2X4XE
• EN407:2004 - X1XXXX
Sizes: 6, 7, 8, 9, 10, 11



H/WT ANTIMICROBIAL FOOD GLOVE CUT
F A14.410B

• EN388:2016 level F cut resistance • Permanent antimicrobial component • 7 gauge heavy weight gloves • May be washed at up to 92°C • Colour coded to prevent cross contamination • Extended cuff for added protection • Designed for knife hand use • Suitable for medium to large meat carving, deboning and butchery work

• Ambidextrous
• EN388:2016 - 2X4XF
• EN407:2004 - X1XXXX
Sizes: 6, 7, 8, 9, 10, 11



M/WT ANTIMICROBIAL FOOD GLOVE
CUT F A14.407B

• EN388:2016 level F cut resistance • Permanent antimicrobial component • 10 gauge medium duty gloves • May be washed at up to 92°C • Colour coded to prevent cross contamination • Extended cuff for added protection • Designed for knife hand use • Suitable for butchery, fish filleting, meat processing • Ambidextrous • EN388:2016 - 3X4XF • EN407:2004 - X1XXXX Sizes: 6, 7, 8, 9, 10, 11



ANTIMICROBIAL FOOD SLEEVE CUT E
A14.420B

• EN388:2016 level E cut resistance • Permanent antimicrobial component • Low linting to prevent product contamination • May be washed at up to 92°C • Designed for use with a Tilsatec food glove • Thumb slot for a secure fit • Elasticated top to keep sleeve in place • EN388:2016 - 2X4XE • EN407:2004 - X1XXXX Sizes: One Size



SPECIALS

SPECIALS



ANTI-SYRINGE MECHANICS GLOVE CUT E
A14.49-6220

- Rhino Yarn™ cut resistant technology in the palm, fingers, finger crotches and fingertips to ensure the most exposed regions to hazards have full protection coverage
- Resistance to a wide range of large and small puncture threats, including needles and syringes
- ASTM F2878-10 hypodermic needle test: 5.7 Newtons (ANSI level 2)
- Leather reinforcement for high action areas
- Rubber pull tab for quick donning and doffing
- Neoprene expandable wrist for safety and comfort
- ANSI 105: 2016 A5 cut resistance
- EN388:2016 - 4X44E
- Sizes: 7, 8, 9, 10, 11, 12, 13



GUIDE NEEDLE STICK HI-VIS GLOVE
A14.6401

- Cut, puncture and needle protecting glove
- Made of supple synthetic leather with extra PVC reinforcement – extra durability and grip
- Alycore technology protection inside hand and around fingertips from needles and sharp objects
- For hardwear work with risk of cut/puncture injuries occurring
- EN388:2003 - 4534
- EN388:2016 - 3X23F
- Sizes: 8, 9, 10, 11

SPECIALS



LINED ARC FLASH LEATHER GLOVE
A99.2678

- High performance Kevlar® lined leather glove • 100% waterproof and windproof lining • Made of three layers consisting of a goatskin outer shell, waterproof membrane and a Kevlar® liner
- Form-fit, ergonomic design promotes superior dexterity and comfort
- 5x more durable than traditional drivers glove
- ARC Rated 50cm2
- EN407 : 2004 - 4343XX
- EN388:2003 - 3242
- Sizes: L, XL, 2XL



IMPACT DRIVER GLOVE A99.A781

- Very high level of protection against Arc flash burns and cuts
- Liner is manufactured with flame-resistant aramid
- Full grain leather outer is tough and durable
- Seams are reinforced with aramid stitching
- Gel padded palm improves comfort and reduces vibration
- Outstanding Arc-Flash Protection: Arc Rating (APTV) = 51 cal/cm2
- Class 2 Welding Protection
- ANSI/ISEA 105 - 2016 CUT Level (A5)
- ASTM F2675-13 (51 cal/cm2)
- EN420
- EN388:2016 - 2X24EP
- EN407 - X1XXXX
- Sizes: 9, 10, 11



ANTIVIBRATION GLOVE W/VELCRO STRAP
A99.9181

- Anti-vibration glove • Unlined • Full grain goatskin of top quality, Vibrothan® • Reinforced index finger and seams • For heavy work • EN388:2016 - 3121X • EN420:2003+A1:2009 Sizes: 9, 10, 11



ANTI VIBRATION GLOVE A99.876

- Seamless knitted shell with anti-vibration coating • Unique coating acts to reduce the effects of impact, shocks and vibration
- Soft knitted seamless liner is comfortable to wear over long periods of time
- Open back for excellent breathability
- Tremor-Low™ allows a greater level of dexterity
- Foamed coating provides an excellent level of grip
- Elasticated knitted wrist
- EN388:2016 – 3243X
- Sizes: 8, 9, 10



ELECTRICIANS LATEX INSULATING
GLOVE CLASS 0
A99.RE0360

- Latex insulating glove
- Excellent electrical resistance
- Anatomical Shape - greater user comfort
- Maximum working AC voltage: Class 0 1000V
- Other Class gloves available up to 36000V maximum working AC voltage
- EN60903
- Sizes: 8, 9, 10, 11



ELECTRICIANS LEATHER OVER-GLOVE
(WITHOUT BUCKLE) A99.RE-PRO

- Leather gauntlet over-glove • Designed to be worn over Electricians Gloves • Provides additional mechanical protection • Offers a higher level of grip • Protects in dirty or oily environments • Extends the lifespan of Electricians Gloves
- Also available with a buckle • EN388:2016 - 3111X Sizes: 8, 9, 10, 11

SPECIALS



ANTI IMPACT HI-VIS GLOVE CUT C
A14.A722

- EN388:2016 – Level C cut resistance • Comfort, grip, impact and cut resistance in a breathable seamless 13 gauge liner
- Flexible PVC impact pods and reinforced crotch for maximum durability
- Suitable for heavy duty applications • Nitrile foam coating for excellent grip in wet or dry • Palm dipped to increase dexterity and ventilation • AS/NZS 2161 .2 • AS/NZS 2161 .3 • ANSI/ISEA 105 - 2016 CUT Level A4 • EN388:2016 - 4X43CP • EN 407 - X1XXXX • EN420 Sizes: 7, 8, 9, 10, 11, 12



IMPACT GEL HALF FINGER GLOVE
K05.400-00

- Provides abrasion and impact protection • Terry cloth back and thumb. Spandex back • Black leather palm • Gel padding in the palm and index finger • Wrist tab with hook and loop closure • Open back for cool comfort • Material handling, general work glove • EN420 Sizes: 6, 7, 8, 9, 10, 11



8" ARM GUARD A99.AG8TW

- Needlestick and cut resistant arm guard
- Needlestick resistance is provided by two layers of SuperFabric brand material
- Tested using 25 gauge hypodermic needles
- Provides the highest level of cut resistance
- Won't fall down like knitted sleeves, lightweight and cooler than knitted or leather alternatives
- Spandex wrist insert with thumb hole and snap fasteners
- EN388:4512
- Sizes: 7, 8, 9, 10



GROUND HOG ELECTRO-STATIC
SPRAY PAINTING GLOVE
A99.1401

- Helps eliminate paint spray-back by grounding to the spray gun
- Lint free, cleanroom compatible material, double folded hemmed cuff edge, ensures the lowest particulate counts • Acontinuous highly conductive silver strip runs from the inside surface of the palm to the outside palm surface, grounding a worker when holding a spray gun
- Laminated polyurethane fabric resists solvents, cleanroom compatible
- Sizes: M-L

GLOVES FOR GLOVEBOX APPLICATIONS

We have access to a wide range of gloves for glove-box applications based on diverse materials (CSM, nitrile, butyl neoprene) or on a mix of materials (CSM/neoprene), in order to protect you from bacteriologic and nuclear risks, amongst others.

Please contact us with details of your requirements or request an on-site survey where we will assess the protection requirements and supply a range of gloves to suit your work place and adequately protect your workforce.



we're here
to protect you.

SAFETY

GLOVES

Your safety - our priority

Elite Looms
BY SILKY HORIZON

SIMPLE SOLUTIONS.
POWER PROTECTION

we're here

SAFETY
GLOVES



Elite Looms

BY SILKY HORIZON

T: +92 - 51 - 7069138 | E: elitelooms@silkyhorizon.com.pk
W: www.silkyhorizon.com.pk

Office no 1 First Floor Muzaffar Chamber AK Fazal UL Haq Road
Islamabad, Pakistan