



PLASTIC & RECONSTRUCTIVE SURGERY

CATALOGUE World-Class High Quality



 silkyhorizon.com.pk

 +92 517069138  shmedexperts@silkyhorizon.com.pk

 OFFICE NO.1 FIRST FLOOR, MUZAFFAR CHAMBER BLUE AREA ISLAMABAD, PAKISTAN

Gorney Facelift Scissors

Gorney Serrated SuperCut Facelift Scissors are designed to facilitate precise and rapid dissection of facial tissue.

- Sharp SuperCut serrated blades with double beveled semi-sharp outer edges will pass through tissue with less resistance.
- Flattened tapered tips for precise dissection and to help the prevention of "buttonholing".
- Rapid dissection is accomplished by tensing the skin back and "running" the scissors with the tips slightly spread, thereby creating "channels". The design of the blades allows for the efficient interconnection of these channels for precise facial and neck flaps.

Gorney Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B 55991	7-1/2"	19 cm	Straight
B 55992	7-1/2"	19 cm	Curved



Gorney Facelift, Serrated, Onyx

Tungsten Carbide. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B 54991	7-1/2"	19 cm	Straight
B 54992	7-1/2"	19 cm	Curved



Gorney-Freeman Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.
Ergonomically spread shanks.

B 55993	7-1/2"	19 cm	Straight
B 55994	7-1/2"	19 cm	Curved



Gorney-Freeman Facelift, Serrated, Onyx

Tungsten Carbide. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.
Ergonomically spread shanks.


B 54994	7-1/2"	19 cm	Curved
---------	--------	-------	--------



I N T R O D U C T I O N

Table of Contents

Scissors	2
Needle Holders	25
Thumb Forceps	30
Rasps Morselizers	39
Osteotomes Mallets	43
Elevators Speculums	47
H O O K S / M E A S U R I N G	51
Retractors Dissectors	55
Ring Forceps Rongeurs	67
Markers Knives	72
Electrosurgical	76
Miscellaneous	82
Instrument Care	86
Endoscopic Plastic Instruments	89



Gorney-Freeman Platysma, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage. Ergonomically spread shanks.

B 55995	9"	23 cm	Straight
B 55996	9"	23 cm	Curved



Gorney Delicate Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B 55916	8"	20.5 cm	Curved
---------	----	---------	--------



Kaye Delicate Facelift Scissors

Kaye Delicate Serrated SuperCut Facelift Scissors are designed to facilitate precise and rapid dissection of facial tissue.

- Sharp SuperCut serrated blades with double beveled semi-sharp outer edges will pass through tissue with less resistance.
- Flattened tapered tips for precise dissection to help in the prevention of "buttonholing".
- Rapid dissection is accomplished by tensing the skin back and "running" the scissors with the tips slightly spread, thereby creating "channels". The design of the blades allows for the efficient interconnection of these channels for precise facial and neck flaps.

Kaye Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B 55974	5-3/4"	14.5 cm	Curved
B 55976	7"	18 cm	Curved
B 55979	9"	23 cm	Curved



Kaye Facelift, Serrated, Onyx

Tungsten Carbide. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B 54976	7"	18 cm	Curved
---------	----	-------	--------



Kaye-Freeman Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage. Ergonomically spread shanks.

B 55978	7"	18 cm	Curved
---------	----	-------	--------



Kaye-Freeman Facelift, Serrated, Onyx

Tungsten Carbide. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage. Ergonomically spread shanks.

B 54978 7" 18 cm Curved



Kaye Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B 55986 5-1/2" 14 cm Curved



Kaye, Serrated, SuperCut

Stainless Steel. Small delicate double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage. Ideal for blepharoplasties and other facial procedures.

B 55906 4-1/2" 11.5 cm Curved



Kaye, Serrated, Onyx

Tungsten Carbide. Small, delicate, double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B 54906 4-1/2" 11.5 cm Curved



Rees Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with flattened tips and micro serrations on the lower blade to prevent tissue slippage.

B55822	6-3/4"	17 cm	Curved
B55831	8"	20.5 cm	Curved



Aston Facelift, Serrated, SuperCut

Stainless Steel. Double-beveled blades with micro serrations on the lower blade to prevent tissue slippage.

B55980	6-3/4"	17 cm	Curved
B55981	8"	20.5 cm	Curved



Aston Facelift, Serrated, Onyx

Tungsten Carbide. Double-beveled blades with micro serrations on the lower blade to prevent tissue slippage.

B54980	6-3/4"	17 cm	Curved
B54981	8"	20.5 cm	Curved



Tessier Facelift, Serrated, Onyx

Tungsten Carbide. Double-beveled blades with micro serrations on the lower blade to prevent tissue slippage.

B 54984	6-1/2"	16.5 cm	Straight
---------	--------	---------	----------



Castanares, Facelift, Serrated, Supercut

Stainless Steel. Short heavy blades with micro serrations on the lower blade to prevent tissue slippage.

B 55833	6-1/4"	16 cm	Straight
---------	--------	-------	----------



Davis Facelift, Serrated, SuperCut

Stainless Steel. Long blades with tenotomy tips and microserrations on the lower blade to prevent tissue slippage.

B 55946 7" 18 cm Curved

**Wilkinson Facelift, Serrated, SuperCut**

Stainless Steel. Angled shanks, double-beveled blades with duckbill tips and microserrations on the lower blade to prevent tissue slippage.

B 55983 7-3/4" 19.5 cm Curved

**Rios Facelift, Serrated, SuperCut**

Stainless Steel. Straight shanks, double-beveled blades with duckbill tips and microserrations on the lower blade to prevent tissue slippage.

B 55982 7-3/4" 19.5 cm Curved

**Stevens Tenotomy, Serrated, SuperCut**

Stainless Steel. Delicate blades with tenotomy tips and microserrations on the lower blade to prevent tissue slippage.

B 55707 6-1/4" 16 cm Curved
B 55708 4-1/2" 11.5 cm Curved
B 55709 4-1/2" 11.5 cm Straight

**Stevens Tenotomy, Onyx**

Tungsten Carbide. Delicate blades with tenotomy tips and tungsten carbide blades.

B 54708 4-1/2" 4- 11.5cm Curved
B 54709 1/2" 11.5 cm Straight



Stevens Tenotomy

Stainless Steel. Delicate blades with tenotomy tips.

B 66121	4-5/8"	11.7 cm	Curved
B 66122	4-5/8"	11.7 cm	Straight
B 66123	6-1/4"	16 cm	Curved



Trepsat Marking, Serrated, Supercut

Stainless Steel. Used for marking and cutting of facial flaps.

B 55985	6-3/4"	17 cm	Straight
---------	--------	-------	----------



PAR, Serrated, SuperCut

Stainless Steel. Delicate fine blades and micro serrations on the lower blade to prevent tissue slippage.

B 55911	5-3/4"	14.5 cm	Curved
B 55930	4-1/2"	11.5 cm	Curved



PAR Onyx

Tungsten Carbide. Delicate scissors with fine blades and semi-sharp tips.

B 54911	5-3/4"	14.5 cm	Curved
B 54930	4-1/2"	11.5 cm	Curved



Goldman Fox, Serrated

General purpose scissors with tenotomy tips and micro serrations on the lower blade to prevent tissue slippage.

B 55940	5"	13 cm	Curved	SuperCut
B 54940	5"	13 cm	Curved	Tungsten Carbide



Devine, Serrated, SuperCut

Stainless Steel. Delicate scissors with sharp tipped and short heavy blades.
Microserrations on the lower blade help to prevent tissue slippage.

B 55703 4-1/4" 11 cm Curved

**Devine-Horton, Serrated, SuperCut**

Stainless Steel. Delicate scissors with semi-sharp tips and
microserrations on the lower blade to prevent tissue slippage.

B 55933 4-1/2" 11.5 cm Curved

**Greenberg PAR, Serrated, SuperCut**

Stainless Steel. Delicate blades with "duckbill" tips and
microserrations on the lower blade to prevent tissue slippage.

B 55907 4-1/2" 11.5cm Curved
B 55908 4-1/2" 11.5cm Straight

**Strabismus, Serrated, SuperCut**

Stainless Steel. Delicate scissors with blunt tips and
microserrations on the lower blade to prevent tissue slippage.

B 55700 4-1/2" 11.5cm Curved
B 55701 4-1/2" 11.5 cm Straight



Strabismus Onyx

Tungsten Carbide. Delicate scissors with blunt tips, and tungsten carbide blades.

B 54700	4-1/2" 4-	11.5cm	Curved
B 54701	1/2"	11.5 cm	Straight



Jabaley, Serrated, Supercut

Stainless Steel. General purpose scissors with sharp tips and microserrations on the lower blade to prevent tissue slippage. Heavy blades for tough tissue.

B 55716	5"	12.5cm	Curved
B 55717	5"	12.5 cm	Straight



Ragnell, Serrated Blunt, Supercut

Stainless Steel. Rounded blades with "Duckbill" tip and micro serrations on the lower blade to prevent tissue slippage.

B 55718	5"	12.5cm	Straight
B 55719	5"	12.5 cm	Curved



Iris, Serrated, SuperCut

Stainless Steel. Popular scissors with sharp tips and microserrations on the lower blade to prevent tissue slippage.

B 55705	4-1/2"	11.5cm	Curved
B 55706	4-1/2"	11.5 cm	Straight



Iris Non-Serrated Supercut

Stainless Steel. Popular scissors with sharp tips. Beveled blades.

B 56705	4-1/2" 4-	11.5cm	Curved
B 56706	1/2"	11.5 cm	Straight



Iris Onyx

Tungsten Carbide. Popular scissors with sharp tips and tungsten carbide blades.

B 54705	4-1/2" 4-	11.5cm	Curved
B 54706	1/2"	11.5 cm	Straight



Iris Swedish Pattern

Stainless Steel. General purpose Iris scissors.

B 66110	4-1/4"	10.5cm	Curved
B 66111	4-1/4"	10.5 cm	Straight



Peck-Joseph, Serrated, SuperCut

Stainless Steel. Double-beveled blades with semi-sharp tips and microserrations on the lower blade to prevent tissue slippage.

B 55990	5-3/4"	14.5cm	Curved
B 55988	5-3/4"	14.5 cm	Straight



Tebbetts™, Delicate Dissecting, Serrated, SuperCut

Stainless Steel. Useful for multiple delicate dissecting applications. Sharp tips are ideal for nasal tip dissection. Microserrations on the lower blade help prevent tissue slippage.

B 55950 5-1/4" 13.5 cm Curved



Tebbetts™, Serrated, SuperCut

Stainless Steel. Long blades for deep portions of the septum. Strong SuperCut blades cut both soft and hard tissue. Serrations on the lower blade help prevent tissue slippage.

B 55838 7-1/2" 19 cm Angled



Tebbetts Type, Serrated, Onyx

Tungsten Carbide. Long blades for deep portions of the septum. Strong blades cut both soft and hard tissue. Serrations on the lower blade help prevent tissue slippage.

B 54838 7-1/2" 19 cm Angled



Knight, Serrated, SuperCut

Stainless Steel. For nasal turbinate and cartilage. Serrations on the lower blade help prevent tissue slippage.

B 55837 7" 18 cm Angled



Gorney Turbinate

Stainless Steel. Serrated blades prevent tissue slippage and are ideal for cutting tough tissue.

B 66142 6-3/4" 17 cm Angled



Gorney Swan Neck, Serrated, SuperCut

Stainless Steel. Fine-tipped double-beveled blades with unique swan neck bend are excellent for nasal tip dissection. Micro-serrations on the lower blade help prevent tissue slippage.

B 55942 4-1/2" 11.5 cm Angled



Gunter Angled, Serrated, SuperCut

Stainless Steel. Fine-tipped double-beveled blades. Excellent for nasal tip dissection. Micro-serrations on the lower blade help prevent tissue slippage.

B 55943 4-1/2" 11.5 cm Angled



Converse, Angled, Stainless Steel

Stainless Steel. Angled blades for dissection of nasal tip cartilage.

B 66118 4" 10 cm Angled



Gunter Angled, Double-Beveled Blades

Stainless Steel. Double-beveled, angled blades facilitate spread dissection of nasal tip cartilage.

B 66119 4" 10 cm Angled



Wilmer Angled

Stainless Steel. Angled blades for dissection of nasal tip cartilage.

B 66120 3-3/4" 9.4 cm Angled



Sealy

Stainless Steel. General purpose fine tipped scissors useful in nasal surgery for dissecting the nasal tip.

B 66125 4-3/4" 12cm Curved
B 66126 4-3/4" 12 cm Straight



Joseph Nasal

Nasal scissors for dissecting and cutting lower lateral cartilage.

B 54716 B 5-1/2" 14cm Curved Tungsten Carbide
66127 6-1/4" 16 cm Curved Stainless Steel



British Pattern Alar Cartilage

Stainless Steel. Fine tipped scissors for trimming cartilage.

B 66130 4-3/4" 12 cm Curved



Fomon Lower Lateral Cartilage

Stainless Steel. Strongly curved blades for cutting the lower lateral nasal cartilage.

B 66129 5-1/2" 14 cm Strong Curve



Aston, Serrated, Onyx

Tungsten Carbide. Delicate serrated blades with angled shanks and flattened tips. Serrations on the lower blade help prevent tissue slippage.

B 54729 5-1/2" 14 cm Angled



Aston, Serrated, SuperCut

Stainless Steel. Delicate serrated blades with angled shanks and flattened tips. Serrations on the lower blade help prevent tissue slippage.

B 55729 5-1/2" 14 cm Angled



Foman, Serrated, Onyx

Tungsten Carbide. Delicate serrated blades with angled shanks.
Serrations on the lower blade help prevent tissue slippage.

B 54725 5-1/2" 14 cm Angled



Fomon, Serrated, SuperCut

Stainless Steel. Delicate serrated blades with angled shanks.
Serrations on the lower blade help prevent tissue slippage.

B 55725 5-1/2" 14 cm Angled



Cottle, Serrated, Onyx

Tungsten Carbide. Heavy blades with angled shanks. Serrations on the lower blade help prevent tissue slippage.

B 54835 6-1/4" 16 cm Angled



Cottle, Serrated, SuperCut

Stainless Steel. Heavy blades with angled shanks. Serrations on the lower blade help prevent tissue slippage.

B 55835 6-1/4" 16 cm Angled



Caplan Nasal Shears, Serrated

Stainless Steel. Double-action for improved cutting power.
Short strong serrated blades for heavy cartilage.

B 66198 7-3/4" 19.5 cm Angled
Stainless Steel



Gorney Turbinate Shears

Stainless Steel. Double-action for improved cutting power.
Long serrated blades for septal cartilage and turbinates.

B 65997 8" 20.5 cm Angled



Metzenbaum, Serrated, SuperCut

Stainless Steel. Dissecting scissors with smooth rounded tips and microserrations on the lower blade to prevent tissue slippage.

B 55710	5-3/4"	14.5 cm	Curved
B 55720	5-3/4"	14.5 cm	Straight
B 55750	7"	18 cm	Curved
B 55760	7"	18 cm	Straight
B 55780	8"	20.5 cm	Curved
B 55785	8"	20.5 cm	Straight
B 55790	9"	23 cm	Curved
B 55795	9"	23 cm	Straight
B 55880	11"	28 cm	Curved



Metzenbaum Onyx

Tungsten Carbide. Dissecting scissors with smooth rounded tips and tungsten carbide blades.

B 54710	5-3/4"	14.5 cm	Curved	
B 54720	5-3/4"	14.5 cm	Straight	
B 54750	7"	18 cm	Curved	
B 54751	7"	18 cm	Curved	Delicate
B 54760	7"	18 cm	Straight	



Delicate Metzenbaum, Serrated, SuperCut

Stainless Steel. Dissecting scissors with smooth semi-blunt tips and microserrations on the lower blade to prevent tissue slippage.

B 55711	5-3/4"	14.5 cm	Curved	
B 55721	5-3/4"	14.5 cm	Straight	
B 55751	7"	18 cm	Curved	
B 55761	7"	18 cm	Straight	
B 55781	8"	20.5 cm	Curved	
B 55791	9"	23 cm	Curved	
B 55796	9"	23 cm	Straight	
B 55881	11"	28 cm	Curved	



Metzenbaum, Sharp/Sharp, Serrated, SuperCut

Stainless Steel. Dissecting scissors with smooth sharp tips, and microserrations on the lower blade to prevent tissue slippage.

B 55712	5-3/4"	14.5 cm	Curved	
B 55722	5-3/4"	14.5 cm	Straight	
B 55752	7"	18 cm	Curved	
B 55762	7"	18 cm	Straight	
B 55792	9"	23 cm	Curved	



Metzenbaum

Stainless Steel. Dissecting scissors with smooth rounded tips.

B 6025	5-3/4"	14.5 cm	Straight
B 6026	5-3/4"	14.5 cm	Curved
B 6027	7"	17.5 cm	Straight
B 6028	7"	17.5 cm	Curved



Mayo, Serrated, SuperCut

Stainless Steel. Popular general purpose scissor with heavy blades and microserrations on the lower blade to prevent tissue slippage.

B 55810	5-1/2"	14 cm	Straight
B 55811	5-1/2"	14 cm	Curved
B 55820	6-3/4"	17 cm	Curved
B 55830	6-3/4"	17 cm	Straight



Mayo Onyx

Tungsten Carbide. Widely used general purpose scissor with heavy blades and tungsten carbide blades.

B 54810	5-1/2"	14 cm	Straight
B 54811	5-1/2"	14 cm	Curved
B 54820	6-3/4"	17 cm	Curved
B 54830	6-3/4"	17 cm	Straight



Mayo Bevel Blade

Stainless Steel. Popular general purpose scissors with heavy beveled blades.

B 66020	6-3/4"	17 cm	Straight
B 66021	6-3/4"	17 cm	Curved



Operating Sharp/Blunt, Onyx

Tungsten Carbide. General purpose scissors with tungsten carbide inserts.

B 54600	5-1/2" 5-	14 cm	Straight
B 54610	1/2"	14 cm	Curved

**Operating Sharp/Sharp, Onyx**

Tungsten Carbide. General purpose scissors with tungsten carbide inserts.

B 54620	5-1/2" 5-	14 cm	Straight
B 54630	1/2"	14 cm	Curved

**Mayo-Carroll, Serrated, SuperCut**

Stainless Steel. Popular general purpose scissor with heavy blades and micro serrations on the lower blade to prevent tissue slippage.

B 55860	9"	23 cm	Curved
B 55870	9"	23 cm	Straight

**Suture-Wire**

Tungsten Carbide. Inserts for cutting of wire.

B 55900	4-3/4"	12 cm	Angled
---------	--------	-------	--------



Ribbon Suture

Stainless Steel. Ribbon shanks with sharp points and large finger rings.

B 66180	3-3/4"	9.5 cm	Curved
---------	--------	--------	--------



Ribbon Stitch

Stainless Steel. Ribbon shanks with sharp double beveled points and large finger rings.

B 66181	3-3/4"	9.5 cm	Curved
B 66182	4-1/2"	11.5 cm	Curved



Ribbon Iris

Stainless Steel. Ribbon shanks with short, sharp, pointed, and delicate blades with large finger rings.

B 66190	3-5/8"	9 cm	Curved
B 66191	3-5/8"	9 cm	Straight
B 66192	4"	10 cm	Curved
B 66193	4"	10 cm	Straight



Westcott Tenotomy

Stainless Steel. Spring handle scissors with medium blades and fine, blunt tips.

B 66160	4-1/2" 4-	11.5 cm	18 mm Blades, Curved
B 66161	1/2"	11.5 cm	18 mm Blades, Straight



Westcott Stitch

Stainless Steel. Spring handle scissors with fine, sharp tips.

B 66165	4-1/4"	11 cm	18 mm Blades, Curved
---------	--------	-------	----------------------



Castroviejo Stitch, Wide Handle

Stainless Steel. Spring handle scissors with fine, sharp tips.
Wide handle for added control.

B 66167 5-1/3" 13.5 cm Straight



Westcott Tenotomy, Wide Handle

Stainless Steel. Spring handle scissors with medium blades and fine, blunt tips. Wide handle for added control.

B 66169 5-1/2" 14 cm Curved



Littler

Stainless Steel. Hole in the tip of the blade allows suture to be threaded for tendon pulling.

B 66175 5" 13 cm Curved



Spencer Stitch Removal

Stainless Steel. Suture removal scissors.

B 66176 3-1/2" 9 cm Straight



O'Brien Angled Stitch

Stainless Steel. Delicate suture removal scissors with a hook in the lower blade to facilitate suture removal.

B 66177 3-3/4" 9.5 cm Angled



Lister Bandage

Stainless Steel. General purpose bandage scissors.

B 66241 5-1/2" 14 cm Angled

B 66243 7-1/4" 18.5 cm Angled






Webster

Tungsten Carbide. Delicate, popular needle holder. Use with 5-0 or finer suture.

B 50403	4-1/2" 4-	11.5 cm	7000
B 50405	1/2"	11.5 cm	Smooth



Titanium Webster

Titanium. Lightweight, corrosion resistant, and anti-magnetic.

Use with 5-0 or finer suture. Tungsten carbide particles fused to the jaw for added grip.

B 54405	4-1/2"	11.5 cm	Micro Onyx-Jaw
---------	--------	---------	----------------



Halsey

Tungsten Carbide. General purpose plastic surgery needle holder.

Use with 4-0 or finer suture.

B 50410	5"	13 cm	4000 Jaw
B 50415	5"	13 cm	Smooth



Titanium Halsey

Titanium. Lightweight, corrosion resistant, and anti-magnetic.

Use with 5-0 or finer suture. Tungsten carbide particles fused to the jaw for added grip.

B 54410	5"	13 cm	Micro Onyx-Jaw
---------	----	-------	----------------



PAR

Tungsten Carbide. Delicate tips and fine shanks. Use with 5-0 or finer suture.

B 50404	B 4-1/2"	11.5 cm	7000	Jaw
50414	5"	13 cm	7000	Jaw




Titanium PAR

Titanium. Lightweight, corrosion resistant, and anti-magnetic.

Use with 6-0 or finer suture. Tungsten carbide particles fused to the jaw for added grip.

B 54414	5"	13 cm	Micro Onyx-Jaw
---------	----	-------	----------------



Tebbetts™, Ultra-Delicate

Tungsten Carbide. Delicate needle holder with fine tips for delicate tissue.

Use with 6-0 or finer suture. Tungsten carbide particles fused to the jaw for added grip.

B 55406	4-3/4"	12 cm	Micro Onyx-Jaw Angled Rings
B 55407	4-3/4"	12 cm	Micro Onyx-Jaw Straight Rings



Tebbetts™, Delicate

Tungsten Carbide. Delicate needle holder with fine tips for delicate tissue.

Use with 5-0 or finer suture.

B 50409	5-1/2" 6-	14 cm	7000	Jaw
B 50427	3/4"	17 cm	4000	Jaw



Derf

Tungsten Carbide. Delicate short jaws. Use with 4-0 and finer suture.

B 50400 4-3/4" 12 cm 4000 Jaw



Nievert Offset

Tungsten Carbide. Halsey type needle holder with one ring angled for greater stability. Use with 4-0 or finer suture.


B 50420 5" 13 cm 4000 Jaw



Swedish

Tungsten Carbide. Light shanks and delicate tips. Use with 5-0 or finer suture.

B 50426 6" 15 cm 7000 Jaw



Ryder

Tungsten Carbide. 2 mm parallel jaws. Use with 4-0 or finer suture.

B 50406 5" 13 cm 4000 Jaw


B 50206 6" 15 cm 4000 Jaw



Ryder, 1 mm

Tungsten Carbide. 1 mm parallel jaws. Use with 5-0 or finer suture.

B 50465	5"	13 cm	7000 Jaw
B 50466	6"	15 cm	7000 Jaw



Micr ovascular

Tungsten Carbide. Delicate fine tapered tips. Use with 4-0 or finer suture.


B 50431	6"	15 cm	4000 Jaw
---------	----	-------	----------



Crile-Wood

Tungsten Carbide. General purpose medium jaw. Use with 4-0 or finer suture.


B 50320	7"	18 cm	4000 Jaw
B 50325	8"	20.5 cm	4000 Jaw
B 50350	9"	23 cm	4000 Jaw
B 50430	6"	15 cm	4000 Jaw
B 50435	6"	15 cm	Smooth



Titanium Crile Wood, Micro-Onyx

Titanium. General purpose medium jaw. Use with 4-0 or finer suture.

B 54430	6"	15 cm	Micro-Onyx Jaw
---------	----	-------	----------------



Baumgartner

Tungsten Carbide. Also known as "Baby Mayo Hegar". Use with 2-0 or finer suture.

B 50110 5-1/2" 14 cm 2500 Jaw



Mayo Hegar

Tungsten Carbide. General purpose heavy jaw. Use with 1-0 or finer suture.

B 50120 6" 15 cm 2500 Jaw

B 50130 7" 18 cm 2500 Jaw

B 50140 8" 20.5 cm 2500 Jaw

B 50145 9" 23 cm 2500 Jaw




Wire Twisters

Tungsten Carbide. Heavy jaws. Holds up to 18 gauge wire.

B 50121 6" 15 cm 2500 Jaw, Delicate

B 50122 6" 15 cm 2500 Jaw, Blunt



Olsen Hegar



Tungsten Carbide. Combination needle holder and scissors.

Use with 4-0 or finer suture.

B 50160 5-1/2" 14 cm 4000 Jaw

B 50170 6-1/2" 16.5 cm 4000 Jaw



B 50180 7-1/2" 19 cm 500 Jaw 1-0 or finer



Olsen Webster

Tungsten Carbide. Combination needle holder and scissors.
Delicate jaws. Use with 5-0 or finer suture.


B 50168	4-1/2"	4-	11.5 cm	Smooth
B 50169	1/2"		11.5 cm	7000 Jaw



Foster -Gillies

Tungsten Carbide. Combination needle holder and scissors.
Delicate jaws. Use with 5-0 or finer suture.

B 50423	4-3/4"	4-	12 cm	7000 Jaw, Straight
B 50424	3/4"		12 cm	7000 Jaw, Curved



Gillies

Tungsten Carbide. Combination needle holder and scissors.
Regular jaws. Use with 4-0 or finer suture.

B 50425	6-1/4"		16 cm	4000 Jaw
---------	--------	--	-------	----------



Tebbetts™, Intranasal Bayonet




Tungsten Carbide. Round handle bayonet design allows for maximum visualization and fingertip control. Use with 5-0 or finer suture.

B 50395	8"		20.5 cm	7000 Jaw
---------	----	--	---------	----------



Castroviejo, Flat Handle



Tungsten Carbide. Popular for delicate procedures. Flat handle design is available with or without lock. Available with curved jaws for better needle positioning. Use with 6-0 suture or finer.

B 50440	5-1/2"	5-	14 cm	7000 Jaw	Straight	
B 50441	1/2"		14 cm	7000 Jaw	Curved	
B 50445	5-1/2"	5-	14 cm	Smooth	Straight	
B 50446	1/2"		14 cm	Smooth	Curved	
B 50452	5-1/2"	5-	14 cm	Micro-Onyx	Straight	
B 50453	1/2"		14 cm	Micro-Onyx	Curved	



Castroviejo, Round Handle

Popular for delicate procedures. Round handles facilitate fingertip control. Available with or without lock. Use with 6-0 suture or finer.

B 50480	6"		15 cm	7000 Jaw	Straight	
B 50481	6"		15 cm	7000 Jaw	Curved	
B 50482	7-1/2"		18.5 cm	000 Jaw	Straight	
B 55484	6"		15 cm	Micro-Onyx	Straight	
B 55485	6"		15 cm	Micro-Onyx	Curved	
B 55486	7-1/2"		18.5 cm	Micro-Onyx	Straight	





Adson SofTouch™

Tungsten Carbide. General purpose forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50500	4-3/4"	12 cm	4000 Jaw
B 50556	6"	15 cm	4000 Jaw



Adson SofTouch™, 1x2 Teeth

Tungsten Carbide. General purpose forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50501	4-3/4"	12 cm	4000 Jaw
B 50558	6"	15 cm	4000 Jaw



Brown-Adson SofTouch™

Tungsten Carbide. General purpose forceps with atraumatic Brown teeth. Tungsten carbide inserts for gripping needles, suture, and tissue.


B 50502	4-3/4"	12 cm	4000 Jaw
B 50514	6"	15 cm	4000 Jaw



Titanium Brown-Adson, Onyx

Titanium. Light weight, corrosion resistant, and anti-magnetic. Tungsten carbide particles fused to the jaw for added grip.

B 54502	4-3/4"	12 cm	Micro-Onyx Jaw
---------	--------	-------	----------------



Horton-Adson SofTouch™, 1x2 Teeth

Tungsten Carbide. Delicate, general purpose forceps with 1x2 teeth. Tungsten carbide inserts for gripping needles, suture, and tissue.

B 50503	4-3/4"	12 cm	7000 Jaw
B 50559	6"	15 cm	7000 Jaw



Titanium Horton-Adson, 1x2 Teeth

Titanium. Light weight, corrosion resistant, and anti-magnetic. Tungsten carbide particles fused to the jaw for added grip.


B 54503	4-3/4"	12 cm	Micro-Onyx Jaw
---------	--------	-------	----------------



Gorney-Adson SoftTouch™, 1x2 Teeth

Tungsten Carbide. General purpose forceps with tungsten carbide inserts for gripping needles, suture, and tissue. Tungsten carbide particles fused to the jaw for added grip.


B 55511 4-3/4" 12 cm Micro-Onyx Jaw



Titanium Gorney-Adson, 1x2 Teeth

Titanium. Light weight, corrosion resistant, and anti-magnetic. Tungsten carbide particles fused to the jaw for added grip.

B 54511 4-3/4" 12 cm Micro-Onyx Jaw



PAR SoftTouch™

Tungsten Carbide. Fine tip forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50504 4-3/4" 12 cm 7000 Jaw



Delicate Adson SoftTouch™

Tungsten Carbide. General purpose forceps with smooth tungsten carbide inserts with delicate tips.


B 50505 4-3/4" 12 cm Smooth Jaw



Adson Dressing

Stainless Steel. General purpose forceps.

B 60025 4-3/4" 12 cm .9 mm Smooth Jaws
B 60026 4-3/4" 12 cm .9 mm Serrated Jaws
B 60035 4-3/4" 12 cm 1.2 mm Serrated Jaws



Adson Dressing, Cross Serrated

Stainless Steel. General purpose forceps.

B 60027 4-3/4" 12 cm Cross Serrated Jaws



Brown-Adson

Stainless Steel. General purpose forceps. Fine Brown type teeth for better gripping.


B 60045 4-3/4" 12 cm Brown Teeth



Adson Tissue, 1x2 Teeth

Stainless Steel. General purpose forceps.


B 60029 4-3/4" 4- 12 cm 1.2 mm Tip .9 mm Tip .9
B 60036 3/4" 4- 12 cm mm Tip
B 60037 3/4" 12 cm with Suture Tying Platform



Castroviejo, 1x2 Teeth

Tungsten Carbide. Delicate tissue forceps with fine 1x2 teeth and micro tungsten carbide jaws for gripping delicate tissue and suture.


B 55506 4" 10 cm .3 mm Tip, Micro Onyx-Jaw
B 55507 4" 10 cm .5 mm Tip, Micro Onyx-Jaw
B 55508 4" 10 cm .9 mm Tip, Micro Onyx-Jaw
B 55509 4" 10 cm 1.5 mm Tip, Micro Onyx-Jaw



Castroviejo-Brown

Stainless Steel. Delicate tissue forceps with fine Brown-type teeth.


B 60075 4-1/2" 11 cm Brown Teeth



Tebbetts™, Delicate Tissue, 1x2 Teeth

Tungsten Carbide. Delicate tissue forceps with fine 1x2 teeth and micro tungsten carbide jaws for gripping delicate tissue and suture. Large handle for more comfortable feel and better handling.


B 55515	4-3/4"	12cm	.5 mm Tip, Micro-Onyx Jaw
B 55516	4-3/4"	12 cm	.9 mm Tip, Micro-Onyx Jaw



Tebbetts™-Brown

Tungsten Carbide. Delicate tissue forceps with fine Brown type teeth and micro tungsten carbide jaws for gripping delicate tissue and suture. Large handle for more comfortable feel and better handling.

B 55518	4-3/4"	12 cm	Micro-Onyx Jaw
---------	--------	-------	----------------



Julian Suture

Stainless Steel. Delicate tips for removal of sutures.

B 60057	4-3/8"	11 cm	Smooth Jaw
---------	--------	-------	------------



Beasley-Babcock

Stainless Steel. Delicate multi-tooth forceps.

B 60062	4-3/4"	12 cm	3.5 mm Tip
---------	--------	-------	------------



Bishop-Harmon

Stainless Steel. Delicate forceps with 1x2 teeth.

B 60070	3-1/2"	9 cm	4 mm Tip,	1 x 2 Teeth 1
B 60071	3-1/2"	9 cm	6 mm Tip,	x 2 Teeth
B 60072	3-1/2"	9 cm	6 mm Tip	Serrated Jaw



Iris

Stainless Steel. Delicate forceps with stabilizing pin prevents tip cross-over. For tissue or dressing.

B 60058	4"	10 cm	Serrated Jaw
B 60059	4"	10 cm	1 x 2 Teeth



McIndoe Dissecting

Stainless Steel. Delicate forceps with stabilizing pin prevents tip cross-over.

B 60060 6" 15 cm Serrated Jaw



Gillies Dissecting, 1 x 2 Teeth

Stainless Steel. Fine jaws and delicate 1 x 2 teeth and stabilizing pin prevents tip cross-over.

B 60061 6" 15 cm Cross Serrated Jaw



Tissue Forceps

Stainless Steel. Fine jaws and delicate 1 x 2 teeth and stabilizing pin prevents tip cross-over.

B 60235 7" 18 cm 1 x 2 Teeth

B 60265 5" 13 cm 1 x 2 Teeth

B 60266 5-1/2" 14 cm 1 X 2 Teeth



Dressing Forceps

Stainless Steel. General purpose forceps.

B 60275 5" 13 cm Serrated Jaw

B 60276 5-1/2" 14 cm Serrated Jaw

B 60290 6" 15 cm Serrated Jaw



Brown

Tungsten Carbide. Fine multiple teeth with tungsten carbide tying platform.

B 50516 6" 15 cm 4000 Jaw



Brown Tissue

Stainless Steel. General purpose forceps. Fine Brown-type teeth for better gripping.


B 60051 8" 20 cm Brown Teeth



Green Fixation

Stainless Steel. Fine multiple teeth. For atraumatic grip of delicate tissue.

B 60080	4" 10 cm	5 mm Tip
B 60081	4" 10 cm	9 mm Tip
B 60082	4" 10 cm	12 mm Tip



Bonney, 1 x 2 Teeth

Tungsten Carbide. Strong general purpose forceps with heavy 1 x 2 teeth.


B 50518	6-3/4"	17 cm	2500 Jaw
---------	--------	-------	----------



Cushing-Brown

Stainless Steel. Cushing forceps with Brown-type teeth for secure, atraumatic grip and scraper end for tissue dissection.

B 60047	7"	18 cm	Brown Teeth
---------	----	-------	-------------



Semken, 1 x 2 Teeth

Tungsten Carbide. General purpose forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50577	6"	15 cm	7000 Jaw	1 x 2 Teeth
---------	----	-------	----------	-------------



Semken, 1 x 2 Teeth

Stainless Steel. Fine jaws and delicate 1 x 2 teeth and stabilizing pin prevents tip cross-over.

B 60209	6"	15 cm	1x2 Teeth
---------	----	-------	-----------



Gerald

Tungsten Carbide. General purpose forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50570	7"	18cm	7000	Jaw	
B 50571	7"	18 cm	7000	Jaw	1 x 2 Teeth



Gerald

Stainless Steel. Fine jaws and delicate 1 x 2 teeth and stabilizing pin prevents tip cross-over.

B 60210	7"	18 cm	Serrated Jaw
B 60211	7"	18 cm	1 x 2 Teeth



Potts-Smith

Tungsten Carbide. General purpose forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50526	7"	18 cm	4000 Jaw
B 50527	8"	20.5 cm	4000 Jaw
B 50530	9"	23 cm	4000 Jaw



Cushing

Tungsten Carbide. General purpose forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50520	7"	18 cm	4000 Jaw
B 50521	7"	18 cm	4000 Jaw, Angled
B 60220	7"	18 cm	1 X 2 Teeth, Stainless Steel
B 60222	8"	20.5 cm	1 X 2 Teeth, Stainless Steel
B 60230	8-1/2"	21.5 cm	Serrated Jaw, Stainless Steel



Cushing, Bayonet

Tungsten Carbide. General purpose bayonet forceps with tungsten carbide inserts for gripping needles, suture, and tissue.

B 50525	7-1/2"	19cm	4000 Jaw 4000 Jaw,
B 50525-1	7-1/2"	19cm	Insulated 4000 Jaw,
B 50524-1	9"	23 cm	Insulated



Skinner Onyx Forceps, 1 x 2 Teeth

Tungsten Carbide. Forceps for monopolar coagulation. Tungsten carbide inserts to grasp needles, suture and tissue.


B 50539	9"	23 cm	1 x 2, 4000 Jaw
B 50539-1	9"	23 cm	1 x 2, 4000 Jaw, Insulated



Tebbetts™, Septal Bayonet

Round handle bayonet design allows for maximum visualizaiton and fingertip control.

B 50523	Tungsten Carbide	7-3/4"	20 cm 7000 Jaw
B 60077	Stainless Steel Brown Teeth	7-3/4"	20 cm



Crow, Insulated

Tungsten Carbide. Insulated forceps for monopolar coagulation. Tungsten carbide inserts to grasp needles, suture and tissue.

B 50531-1	9"	23 cm	4000 Jaw
-----------	----	-------	----------



Maxwell, Insulated

Tungsten Carbide. Insulated forceps for monopolar coagulation. Tungsten carbide inserts to grasp needles, suture and tissue.

B 50533-1	9"	23 cm	4000 Jaw
-----------	----	-------	----------



Lucae Nasal Dressing

Stainless Steel. Nasal dressing forceps.

B 60053	5-1/2"	14 cm	Serrated Jaws
---------	--------	-------	---------------



Jansen Dressing, Bayonet

Stainless Steel. Bayonet nasal dressing forceps.

B 60054	6-1/2"	16 cm	Serrated Jaws
---------	--------	-------	---------------



Gruenwald Dressing, Bayonet

Stainless Steel. Bayonet nasal dressing forceps with long shanks for access to deep cavities.


B 60056	8"	20.5 cm	Serrated Jaws
---------	----	---------	---------------



DeBakey Vascular Forceps

Stainless Steel. Fine DeBakey serrations for atraumatic tissue handling.

B 60200	6"	15 cm	2 mm Jaw
B 60201	7"	18 cm	2 mm Jaw
B 60202	8"	20 cm	2 mm Jaw
B 60203	10"	25 cm	2 mm Jaw
B 60204	12"	30 cm	2.7 mm Jaw




Jewelers

Stainless Steel. Jewelers forceps with smooth jaws. Non-magnetic material.

B 60101	4-3/4"	12 cm	#1
B 60102	4-3/4"	12 cm	#3
B 60103	4-1/4"	11 cm	#3C
B 60104	4-1/4"	11 cm	#4
B 60105	4-1/4"	11 cm	#5
B 60106	4-1/4"	11 cm	#5A



The patented blend of tungsten carbide inserts of these specialty instruments creates an extremely hardened cutting edge. They deliver an unsurpassed clean and precise cut. Because of the unique manufacturing process, they maintain their sharpness longer than standard instruments. The weight and density of the ergonomic styling create greater comfort in handling and a greater ease of mobility in performance. The Black Diamond™ instrument material blend is non-magnetic and has a lower porosity allowing for a more thorough and less damaging sterilization.



Fomon

Tungsten Carbide. Black Diamond™ double-ended tungsten carbide rasp for increased sharpness and longevity.

B 53062	8-1/2" 21.5 cm	#1 and #2
B 53064	8-1/2" 21.5 cm	#3 and #4
B 53066	8-1/2" 21.5 cm	#5 and #6
B 53068	8-1/2" 21.5 cm	#7 and #8



Fomon Push/Pull

Tungsten Carbide. Black Diamond™ "push/pull" double-ended tungsten carbide rasp for bi-directional cutting.

B 53094	8-1/2" 21.5 cm	#3 & #4
B 53096	8-1/2" 21.5 cm	#5 & #6
B 53098	8-1/2" 21.5 cm	#7 & #8



Parkes

Tungsten Carbide. Black Diamond™ with large handle provides positive grip with superior cutting surfaces.

B 53071	8" 20.5 cm	#1
B 53072	8" 20.5 cm	#2
B 53073	8" 20.5 cm	#3
B 53074	8" 20.5 cm	#4
B 53075	8" 20.5 cm	#5
B 53076	8" 20.5 cm	#6
B 53077	8" 20.5 cm	#7
B 53078	8" 20.5 cm	#8



Parkes Push/Pull

Tungsten Carbide. Black Diamond™ "push/pull" tungsten carbide rasp for bi-directional cutting.

B 53083	8"	20.5 cm	#3
B 53084	8"	20.5 cm	#4
B 53085	8"	20.5 cm	#5
B 53086	8"	20.5 cm	#6
B 53087	8"	20.5 cm	#7
B 53088	8"	20.5 cm	#8



McCollough Twist Foman

Tungsten Carbide. Black Diamond™ rasp is double-ended for increased sharpness and longevity.
Twist handle for added control and comfort.

B 53130	8-1/2"	21.5 cm	#2 & #3
B 53135	8-1/2"	21.5 cm	#4 & #6
B 53138	8-1/2"	21.5 cm	#7 & #8



Webster Glabella

Tungsten Carbide. Black Diamond™ "push/pull" design allows for greater control in sculpting bone in the glabella region and for creating a naso-frontal angle.

B 53120	8-1/2"	21.5 cm
---------	--------	---------



Aufricht

Stainless Steel. "Push/pull" rasp for bi-directional cutting.

B 63202	8"	20.5 cm	8 mm x 30 mm	20.5	Up Cutting
B 63203	8"	cm	8 mm x 30 mm		Down Cutting



Aston Reduction Push/Pull

Tungsten Carbide. Black Diamond™ "push/pull" tungsten carbide rasp for bi-directional cutting. Excellent for cartilage and bone.

B 53101	8"	20.5	cm	Fine	Pull	Pull
B 53102	8"	20.5	cm	Coarse	Push/Pull	
B 53105	8"	20.5	cm	Fine	Push/Pull	
B 53106	8"	20.5	cm	Coarse		



Peet Nasal

Stainless Steel. Black Diamond™ with diamond particle surface to be used as a finishing rasp to create a smooth surface.

B 63200	7-1/2"	19 cm	Straight Jaw
B 63201	7-1/2"	19 cm	Curved Jaw



Livie

Stainless Steel. Narrow 2 mm wide, extra thin blade useful for minor office procedures and touch-up rhinoplasty. Two cutting surfaces (fine and course) for optimal results.

B 63205	6-3/4"	17 cm	Fine Jaw
---------	--------	-------	----------




B 63206	6-3/4"	17 cm	Course Jaw
---------	--------	-------	------------





Gunter Lower Lateral

Tungsten Carbide. Lower lateral morselizer available in two jaw surfaces which allows cartilage to be crushed or cut.

B 52210	7"	18 cm	Morselizer Jaw
---------	----	-------	----------------



B 52211	7"	18 cm	Longitudinal Jaw
---------	----	-------	------------------




Gorney Septal

Tungsten Carbide. Septal morselizer with unique jaws.

B 52215 8" 20.5 cm Angled



B 52217 8" 20.5 cm Straight



B 52218 Guard only



Cottle Cartilage Crusher/Morselizer

Useful for reforming soft tissue. Available in smooth and serrated 15 mm x 60 mm surface.

B 67227 Smooth

B 67223 Longitudinal Serrations



Jost Cartilage Crusher/Morselizer

Multi-surfaces are interchangeable to allow for a variety of possible results.

The three surfaces are smooth, longitudinal and cross serrated.

B 67230 50 mm x 30 mm Surface




Sheen Cartilage Crusher/Morselizer

Sliding hinge allows for variable cartilage thicknesses. Interchangeable design allows for longitudinal serrations for scoring or smooth surface for crushing.

B 67226 60 mm x 30 mm Surface





Tebbetts™

Stainless Steel. For percutaneous medial or lateral osteotomies, as well as ethmoid and vomer osteotomies. Ergonomic handle provides comfort and control.

B 64052	6-7/8"	17.5 cm	2 mm
B 64053	6-7/8"	17.5 cm	3 mm



Tebbetts™ Type Lateral

Stainless Steel. Guarded lateral osteotome. Ergonomic handle provides comfort and control.


B 64059	8"	20.5 cm	4 mm	Curved Left
B 64060	8"	20.5 cm	4 mm	Curved Right



Tebbetts™ Nasal Dorsum

Stainless Steel. Double-guarded blade protects the skin. Ergonomic handle provides comfort and control.


B 64056	6-7/8"	17.5 cm	12 mm
B 64057	6-7/8"	17.5 cm	14 mm



Tebbetts™ Intranasal

Stainless Steel. Used for resections of vomer, ethmoid or concha turbinate. Ergonomic handle provides comfort and control.


B 64050	7"	18 cm	4 mm
B 64051	7"	18 cm	7 mm



Anderson-Neivert

Stainless Steel. Popular guarded lateral osteotome.


B 64020	8-1/2"	21.5 cm	4 mm	Straight
B 64021	8-1/2"	21.5 cm	4 mm	Right
B 64022	8-1/2"	21.5 cm	4 mm	Left



Gunter

Stainless Steel. Low profile, guarded lateral osteotome.


B 64023	8-1/2"	21.5 cm	3.5 mm	Straight
B 64024	8-1/2"	21.5 cm	3.5 mm	Right
B 64025	8-1/2"	21.5 cm	3.5 mm	Left



Silver

Stainless Steel. Original delicate pattern guarded lateral osteotome. "V" shaped blade facilitates control during lateral osteotomies.


B 64010	7"	18 cm	3.5 mm	Straight
B 64011	7"	18 cm	3.5 mm	Right
B 64012	7"	18 cm	3.5 mm	Left



Ristow

Stainless Steel. Guarded lateral osteotome designed to accomplish the low to high osteotomy. Long curved blade.


B 64017	8"	20.5 cm	3.5 mm	Right
B 64018	8"	20.5 cm	3.5 mm	Left



Parkes

Stainless Steel. Guarded lateral osteotome.

B 64019	7"	18 cm	3.5 mm	Straight
---------	----	-------	--------	----------



Nahai

Stainless Steel. Serrated handle for better grip and control.

B 64005	7"	18 cm	2 mm	
---------	----	-------	------	--



Sheehan

Stainless Steel. Multi-purpose osteotome.

B 64032	6-1/4"	16 cm	2 mm
B 64033	6-1/4"	16 cm	3 mm
B 64034	6-1/4"	16 cm	4 mm
B 64035	6-1/4"	16 cm	5 mm



Cinelli

Stainless Steel. Double-guarded osteotome for hump removal.

B 64030	7-1/4"	18.5 cm	6 mm	10 mm
B 64026	7-1/4"	18.5 cm	12 mm	14 mm
B 64027	7-1/4"	18.5 cm	10 mm	Curved
B 64028	7-1/4"	18.5 cm		
B 64083	6-1/4"	16 cm		



Rubin Type

Stainless Steel. Osteotome features a stabilizer bar which helps prevent lateral rotation. Rounded corners to reduce tissue damage.

B 64013	6-1/4"	16 cm	10 mm
B 64014	6-1/4"	16 cm	14 mm
B 64015	6-1/4"	16 cm	16 mm



Parkes Hump Gouge

Stainless Steel. Double-guarded osteotome for hump removal.


B 64031	7"	18 cm	6.5 mm
---------	----	-------	--------



Nylon Stainless Steel Mallet

Stainless Steel. Mallet with aluminum handle and replaceable nylon head.


B 67202	7-1/4"	18.5 cm	7 oz. Head
B 67202-1	Replacement Nylon Head for Mallet B672026		




Gerzog Stainless Steel Mallet

Stainless Steel. Lead filled head.

B 67204	7"	18 cm	14 oz. Head
---------	----	-------	-------------





Molt

Stainless Steel. Double-ended elevator for elevation of the periosteum and perichondrium.

B 63755 7-1/2" 19 cm Double-Ended 

Gorney Suction

Stainless Steel. Unique elevator with suction and cleaning rod.

B 63850 7-1/2" 19 cm 

Gruber Suction

Stainless Steel. Unique elevator with suction. Short and delicate for precise flap elevation.

B 63851 5-3/4" 14.5 cm 

Tebbetts™ Septal

Stainless Steel. Useful in septal mucoperichondrial flap elevation. Double-ended for multiple uses. Round handle for comfort and control.

B 63856 8-1/4" 21 cm 

Cottle Double-Ended Septum

Stainless Steel. Popular double-ended septal elevator with graduated shaft. 4 mm x 4 mm sharp round end and a 3 mm spatula end.

B 63873 8-1/2" 21.5 cm 

Cottle

Stainless Steel. Facilitates elevation of periosteum. Excellent for malar implant pocket.

B 63874 7-1/2" 19 cm 10 mm Wide
B 63872 7-1/2" 19 cm 8 mm Wide 

Joseph Periosteal

Stainless Steel. For elevation of the nasal periosteum and perichondrium.

B 63867 6-1/2" 16.5 cm 

Freer Periosteal

Stainless Steel. Double-ended elevator for elevation of the nasal periosteum and perichondrium. Sharp and blunt ends.



B 63875	8"	20.5 cm, Round Handle	6 mm, Sharp/Blunt
B 63876	8"	20.5 cm, Round Handle	4.5 mm, Sharp/Blunt

Gunter Septal

Stainless Steel. Double-ended elevator for elevation of the nasal periosteum and perichondrium.



B 63878	7-1/2"	19 cm	4.5 mm/6 mm, Sharp/Sharp
---------	--------	-------	--------------------------

McCollough

Stainless Steel. Double-ended elevator for elevation of the nasal periosteum and perichondrium. Sharp and blunt ends.



B 63860	7-1/4"	18.5 cm	
---------	--------	---------	--

Woodson

Stainless Steel. Fine double-ended elevator for elevation of the nasal periosteum and perichondrium. Sharp and blunt ends.



B 63862	7-3/4"	19.5 cm	
---------	--------	---------	--

Mitchells Trimmer

Stainless Steel. Double-ended with knife blade and spoon shaped elevator. For trimming of mucosa.



B 63884	6-5/8"	17 cm	
---------	--------	-------	--

Obwegeser Periosteal

Stainless Steel. For elevation of periosteum.



B 63890	7"	18 cm	7 mm
B 63891	7"	18 cm	11 mm

Boies Nasal Fracture

Stainless Steel. For the elevation of bone fragments in nasal fracture repairs.

B 63871 7-3/4" 19.5 cm



Cleft Palate

Stainless Steel. Double-ended for separating mucosa flaps from hard palate.

B 63883 6-1/4" 16 cm



Vienna Nasal

Stainless Steel. Nasal speculum with delicate blades.

B 61425	5-1/2"	14 cm, Small	1", 24 mm
B 61426	5-1/2"	14 cm, Medium	1-1/4", 30 mm
B 61427	5-1/2"	14 cm, Large	1-3/8", 34 mm



Killian

Stainless Steel. Thin, low-profile blades. Set screw allows blades to be locked in desired position.

B 61430	5-1/2"	14 cm	2", 50 mm
B 61431	5-1/2"	14 cm	2-1/2", 63 mm
B 61432	5-1/2"	14 cm	3", 76 mm



Cottle Modified Nasal

Stainless Steel. Thin blades. Set screw allows blades to be locked in desired position.

B 61435	5 1/2"	14 cm	2"	50 mm
---------	--------	-------	----	-------




Tebbetts™

Stainless Steel. Wide thin blades and added handle length. Set screw allows blades to be locked in desired position.

B 61441	6"	15 cm	1-1/2"	38 mm
B 61442	6"	15 cm	1-3/4"	45 mm





Joseph Skin Hook

Stainless Steel. General purpose skin hook. Knurled handle for better grip.

B 61500	6-1/4"	16 cm	Single Hook 2 mm
B 61501	6-1/4"	16 cm	Double Hook 5 mm
B 61502	6-1/4"	16 cm	Double Hook 7 mm
B 61503	6-1/4"	16 cm	Double Hook 10 mm
B 61504	6-1/4"	16 cm	Double Hook



Cottle Two Sharp Prongs

Stainless Steel. General purpose skin hook.

B 61508	5-1/2"	14 cm	11 mm
---------	--------	-------	-------



Kleinert-Kutz Hook

Stainless Steel. General purpose skin hook. Knurled handle for better grip.

B 61515	6-1/4"	16 cm	3 mm Hook
B 61516	6-1/4"	16 cm	5 mm Hook



Tyrell Skin Hook

Stainless Steel. General purpose skin hook.

B 61518	5"	13 cm
---------	----	-------



Millard Thimble Hook

Stainless Steel. Used on left thumb to provide retraction.

B 61520		18 mm wide Double Hook
---------	--	------------------------



Frazier Skin Hook

Stainless Steel. General purpose skin hook.

B 61525	4-3/4"	12 cm
---------	--------	-------



Soft Tissue Skin Hook

Stainless Steel. General purpose skin hook.

B 61527	5"	13 cm
---------	----	-------



Guthrie Double Hook

Stainless Steel. General purpose skin hook. For delicate tissue.

B 61528	4-3/4"	12 cm	1.5 mm
B 61529	4-3/4"	12 cm	2.5 mm
B 61530	6-1/4"	16 cm	3 mm



Gillies Skin Hook

Stainless Steel. General purpose skin hook.

B 61532	7"	18 cm	
---------	----	-------	--



Barsky Double Skin Hook

Stainless Steel. General purpose skin hook.

B 61534	5-1/2"	14 cm	5 mm
---------	--------	-------	------



Converse Skin Hook

Stainless Steel. General purpose skin hook. Light weight aluminum handle.

B 61535	6"	15 cm	Small
B 61536	6"	15 cm	Medium
B 61537	6"	15 cm	Large



Light Weight Straight Skin Hook

Stainless Steel. General purpose skin hook. Light weight aluminum handle.

B 61538	6"	15 cm	Large
B 61539	6"	15 cm	Delicate



Tebbetts™ Self-Retaining Skin Hook

Stainless Steel. Self-retaining general purpose hooks. Sterile rubber band attached to the drape holds the instrument in place, thereby freeing up an assistant's hands.

B 61542	6"	15 cm	Single Hook 2 mm
B 61544	6"	15 cm	Double Hook 2 mm
B 61545	6"	15 cm	Double Hook 8 mm
B 61546	6"	15 cm	Double Hook 11 mm
B 61547	6"	15 cm	Double Hook 13 mm
B 61549	6"	15 cm	Double Hook with Ball Ends



Castroviejo Caliper

Stainless Steel. Graduated in 1 mm increments from 0 mm to 20 mm and 0 mm to 40 mm. Locking nut holds delicate tips in place.

B 67613	3-1/2"	9 cm
B 67620	8"	20 cm



Jameson Caliper

Stainless Steel. Standard slide rule caliper. Graduated in mm and inches from 0 mm to 80 mm and 0 to 3 inches. Screw for locking.

B 67614	3-3/4"	9.5 cm
---------	--------	--------



Thorpe Caliper, Angled

Stainless Steel. Standard slide rule caliper. Graduated in mm and inches from 0 mm to 80 mm and 0 to 3 inches. Screw for locking. Angled tips.

B 67615	4-3/4"	12 cm
---------	--------	-------



Tebbetts™ Precision Caliper

Stainless Steel. Standard slide rule caliper. Graduated in mm and inches from 0 mm to 80 mm and 0 to 3 inches. Screw for locking with fine angled tips.

B 67616	4-1/2"	11 cm
---------	--------	-------



Tebbetts™ Alar Stabilizing Jig

Stainless Steel. For resecting rim strip. When placed under the alar cartilage, the pins stabilize and flatten the cartilage.

B 67228	5"	12.5 cm
---------	----	---------



Guyuron Crura Stabilizer Clamp

The Medial Crura Stabilizer has tungsten carbide serrations on the surface, safely fixing the lateral crura while the calibrated limbs/forks facilitate accurate removal of the cephalic portion of these cartilages, leaving symmetric lateral crura behind.

B 67222	3-3/4"	9.5 cm
---------	--------	--------



Ruler

Stainless Steel. Ruler graduated in millimeters and inches.


B 67610	6"	15 cm
B 67611	8"	20 cm
B 67612	12"	30 cm



Miller Cartilage Grid with Traction Pad

Aluminum. For cutting, measuring, and photographing cartilage grafts. Measured in millimeters. Can be used as a cutting surface. Reverse image for better visualization. Has elevated serrations to control cartilage from slipping during manipulation.


B 67221	4" x 2-3/4"	10 cm x 7 cm
---------	-------------	--------------



Gruber Cartilage Grid

Aluminum. For cutting, measuring, and photographing cartilage grafts. Measured in millimeters. Can be used as a cutting surface. Reverse image for better visualization.


B 67224	4" x 2-3/4"	10 cm x 7 cm
---------	-------------	--------------



Sheen Cartilage Grid

Aluminum. For cutting, measuring, and photographing cartilage grafts. Measured in millimeters. Can be used as a cutting surface.

B 67225	4" x 2-3/4"	10 cm x 7 cm
---------	-------------	--------------



LumiView™ Fiber Optic Retractor System

The LumiView™ retractor system offers preparatory lighting technology that produces an exceptional thermally cool light. Retractor handle and blade are matched with the fiber optic system to produce optimal lighting performance and will not burn or melt. Single-use light panels deliver uniform, cool lighting even in the most difficult areas. The ergonomic handle allows for comfortable, yet firm grip.



- Cool, directional, uniform fiber optic light
- Ergonomic handle for a comfortable and firm grip
- Angled atraumatic tip for optimal retraction
- High intensity molded light panel never gets hot
- Full blade illumination for optimal surgical viewing



Retractor Handle with with Fiber Optic Light Guide

The ergonomically designed handle enhances maneuverability and accelerates the ability to capture deep pocket visualization.

B 61104 Small LumiView™ Retractor Handle with Light Guide



B 61105 Standard LumiView™ Retractor Handle with Light Guide



B 61107 Replacement Light Guide for LumiView™ Retractor; for Handle B 61105

B 61108 Replacement Light Guide for LumiView™ Retractor; for Handle B 61104

LumiView™ Light Panel

B 61100 "Mini" Light Panel, 5/Box, Sterile

B 61101 "Midi" Light Panel, 5/Box, Sterile



"Mini" LumiView™ Retractor Blades

B 61110	1/2" (12.5 mm) x 4" (10cm)
B 61111	3/4" (20 mm) x 4" (10 cm)
B 61112	1" (24 mm) x 4" (10 cm)

"Midi" LumiView™ Retractor Blades

B 61115	1/2" (12.5 mm) x 5-3/8" (13.5 cm)
B 61116	3/4" (20 mm) x 5-3/8" (13.5 cm)
B 61120	1" (24 mm) x 5-3/8" (13.5 cm)
B 61121	1-1/4" (30 mm) x 5-3/8" (13.5 cm)
B 61125	3/4" (20 mm) x 7" (17.5 cm)
B 61126	1-1/4" (30 mm) x 7" (17.5 cm)



"Mini" LumiView™ Retractor Blades with Suction

B 61111 S	3/4" (20 mm) x 4" (10cm) with Suction
B 61112 S	1" (24 mm) x 4" (10cm) with Suction

"Midi" LumiView™ Retractor Blades with Suction

B 61116 S	3/4" (20 mm) x 5-3/8" (13.5 cm) with Suction
B 61120 S	1" (24 mm) x 5-3/8" (13.5 cm) with Suction
B 61121 S	1-1/4" (30 mm) x 5-3/8" (13.5 cm) with Suction
B 61125 S	3/4" (20 mm) x 7" (17.5 cm) with Suction
B 61126 S	1-1/4" (30 mm) x 7" (17.5 cm) with Suction



"Mini" LumiView™ Aluminum Retractor Blades

B 61111 AL	3/4" (20 mm) x 4" (10 cm) 1"
B 61112 AL	(24 mm) x 4" (10 cm) 1-1/4" (30
B 61113 AL	mm) x 4" (10 cm) 1-5/8" (40
B 61114 AL	mm) x 4" (10 cm)

"Midi" LumiView™ Aluminum Retractor Blades

B 61120 AL	1" (24 mm) x 5-3/8" (13.5 cm)
B 61121 AL	1-1/4" (30 mm) x 5-3/8" (13.5 cm)
B 61126 AL	1-1/4" (30 mm) x 7" (17.5 cm)



Tebbetts™ Fiber Optic

Stainless Steel. The original Tebbetts fiber optic retractor with suction.
Universal fiber optic connector to match ACMI, STORZ, OLYMPUS, and WOLF.
Low profile oval shaped light bundle provides optimal visualization of surgery pocket. Available with teeth on blade to help prevent slippage.

B 61084	9 cm x 20 mm Blade
B 61086	9 cm x 30 mm Blade
B 61087	9 cm x 24 mm Blade
B 61085	15 cm x 20 mm Blade
B 61088	15 cm x 30 mm Blade
B 61089	15 cm x 24 mm Blade
B 61090	19 cm x 30 mm Blade
B 61091	19 cm x 25 mm Blade
B 61184	9 cm x 20 mm Blade without Teeth
B 61186	9 cm x 30 mm Blade without Teeth
B 61187	9 cm x 24 mm Blade without Teeth
B 61185	15 cm x 20 mm Blade without Teeth
B 61188	15 cm x 30 mm Blade without Teeth
B 61189	15 cm x 24 mm Blade without Teeth
B 61190	19 cm x 30 mm Blade without Teeth
B 61191	19 cm x 25 mm Blade without Teeth



Tebbetts™ (Without Fiber Optics)

Stainless Steel. Retractor without fiber optics and suction. Available with teeth on blade to help prevent slippage.

B 61095	9 cm x 24 mm Blade
B 61096	15 cm x 24 mm Blade
B 61195	9 cm x 24 mm Blade without Teeth
B 61196	15 cm x 24 mm Blade without Teeth



Tebbetts™ Double-Ended Breast

Stainless Steel. Double-ended retractor with serrated blades for various applications. The smaller, shorter blade provides exposure for initial access and dissection. The longer blade provides expanded access.

B 61080 9-1/2" 24.5 cm 7/8" x 1-1/2"



Tebbetts™ Spatula, Semi-Malleable

Stainless Steel. Semi-malleable blade. Serrated on inside of blade to help prevent slippage and will not harm the implant shell.

B 61082 12-1/2" 31.5 cm 1" x 6" Blade



Tebbetts™ Ribbon

Stainless Steel. General purpose ribbon retractor with thin, flexible blades is useful in both closed and open rhinoplasty, as well as blepharoplasty and orbit surgery.

B 61078 5" 13 cm 7 mm Wide



Tebbetts™-Aufricht

Stainless Steel. Specially designed curve and atraumatic teeth at the tip offer stability on the nasal dorsum.

B 61079 4-3/4" 12 cm



Tebbetts™ Nasal Skin

Stainless Steel. Used in open rhinoplasty. Designed to minimize trauma to the nasal tip. Rounded, tapered edges with grooved concave tip for stabilization against nasal dorsum. Self-retaining feature frees the assistant's hands.

B 61077 6" 15 cm 16 mm Wide



Converse Nasal

Stainless Steel. Nasal retractor with conclave blades for added exposure.
Also available as a fiber optic nasal retractor.

B 61023	4-1/4"	11 cm	49 mm Tapered Blade with Fiber Optics
B 61025	4-1/4"	11 cm	49 mm Tapered Blade



Aufricht Nasal

Stainless Steel. Nasal retractor with conclave blades for added exposure.
Also available as a fiber optic nasal retractor.

B 61027	7"	18 cm	45 mm Tapered Blade
B 61028	7"	18 cm	45 mm Tapered Blade with Fiber Optics



Fomon Double Ball End

Stainless Steel. Non-perforating nasal retractor.

B 61014	6-1/4"	16 cm	11 mm
B 61014-1	6-1/4"	16 cm	Insulated



Converse Alar

Stainless Steel. Double-ended nasal retractor.

B 61018	4-1/2"	11.5 cm	10 mm/14 mm
---------	--------	---------	-------------



Nasal Tip

Stainless Steel. Combines Kilne alar retractor with Millard Thimble Hook.

B 61021	4-1/4"	11 cm	8 mm
---------	--------	-------	------



Millard Nasal Tip

Stainless Steel. Combines Kilne alar retractor with Millard Thimble Hook.

B 61022	3-1/4"	8.2 cm	10 mm
---------	--------	--------	-------



Freeman Flap

Stainless Steel. Tissue is held in bend of the retractor in rhytidectomy and mammaplasty procedures. Tip curved downward for better visualization.

B 61068	8"	20.5 cm 1/2" (12 mm) Wide
B 61069	8"	20.5 cm 1" (24 mm) Wide



Biggs Retractor

Stainless Steel. Fenestrated blade provides excellent retraction at the distal end allowing visualization of the operative area.

B 61071	Standard (50 mm) Blade
B 61072	Standard (50 mm) Blade With Fiber Optics and Smoke Evacuation
B 61073	Narrow (30 mm) Blade
B 61074	Narrow (30 mm) Blade with Fiber Optics and Smoke Evacuation



Deaver

Stainless Steel. General purpose retractor.

B 61150	7"	18 cm	3/4" (1.9 cm)
B 61151	8"	20.5 cm	1" (2.5 cm)
B 61152	12"	30.5 cm	1" (2.5 cm)
B 61145	12"	30.5 cm	3' (7.5 cm)



Epstein-Deaver

Stainless Steel. Thin blade with smooth rounded edges was designed to help keep the implant below the muscle when inserting the implant on a dual plane dissected pocket. Optimal design for a 360 sweep when inspecting the pocket.

B 61146 8" 20 cm 1" (2.5 cm)



Ribbon

Stainless Steel. General purpose malleable retractor.

B 61176 7" 18 cm 0.2" (0.5 cm) Malleable B 61177 7" 18 cm 0.4" (1.0 cm) Malleable B 61178 7" 18 cm 0.6" (1.5 cm) Malleable B 61179 7" 18 cm 0.8" (2.0 cm) Malleable B 61180 7" 18 cm 1.0" (2.5 cm) Malleable



U.S. Army

Stainless Steel. Double-ended general purpose retractor. Set of two.

B 61164 8-1/2" 21.5 cm



Maxwell Flap

Stainless Steel. General purpose flap retractor with curved handle to facilitate retraction. Useful in rhytidectomy and mammaplasty procedures. Shorter handle for added control.

B 61092 4" 10 cm 1-1/2" (38 mm) Wide
B 61093 4" 10 cm 7/8" (22 mm) Wide



Freeman Rake

Stainless Steel. Useful in rhytidectomy and mammaplasty procedures. Has two outer prongs and two recessed inner prongs to provide more even retraction.

B 61066 7" 18 cm 1-1/2" (38 mm) Wide
B 61067 7" 18 cm 7/8" (22 mm) Wide



Gorney Rake Retractor

Stainless Steel. General purpose flap retractor.

B 61064 3" 7.5 cm 34 mm Wide



Multi-Purpose Retractor

Stainless Steel. Multi-purpose flap retractor. Angled tip facilitates visualization.

B 61063 4-1/2" (12 cm) x 7/8" (2.3 cm) Blade



Coronal Brow Lift

Stainless Steel. Multiple prong face lift retractor.

B 61062 7" 18 cm 7 Prong



Anderson Bear Claw

Stainless Steel. General purpose face lift retractor.

B 61046 4-3/4" 12 cm 3 Prong

B 61047 4-3/4" 12 cm 5 Prong



DesMarres Lid

Stainless Steel. Popular lid retractor. Also useful as a nasal retractor.
Insulated models for added safety against electrocautery dissection.

B 61055	5-1/2"	14 cm	9 mm 9	
B 61055-1	5-1/2"	14 cm	mm 11	Insulated
B 61056	5-1/2"	14 cm	mm 11	
B 61056-1	5 1/2"	14 cm	mm 13	Insulated
B 61057	5-1/2"	14 cm	mm 13	
B 61057-1	5 1/2"	14 cm	mm 15	Insulated
B 61058	5-1/2"	14 cm	mm 15	
B 61058-1	5-1/2"	14 cm	mm	Insulated



Jaeger Lid Plate

Stainless Steel. Popular lid retractor. Available insulated.

B 67520	4"	10 cm	
B 67520-1	4"	10 cm	Insulated



Rollet

Stainless Steel. Delicate, sharp four prong retractor.

B 61045	5"	13 cm	4 Sharp Prongs
---------	----	-------	----------------



Miller Rake

Stainless Steel. Nine sharp prong facial retractor.

B 61043	5-1/4"	13.5 cm	9 Sharp Prongs
---------	--------	---------	----------------



Ragnell

Stainless Steel. Double-ended delicate retractor.

B 61053	6"	15 cm	
---------	----	-------	--



Ragnell-Davis

Stainless Steel. Double-ended delicate retractor with round knurled handle.

B 61054 6" 15 cm



Senn

Stainless Steel. General purpose double-ended retractor.

B 61050 6-1/4" 15.8 cm Sharp

B 61051 6-1/4" 15.8 cm Blunt



Kasden

Stainless Steel. Double-ended delicate retractor with anodized aluminum handle.

B 61052 6-1/2" 16.5 cm



Holzimer Self Retaining

Stainless Steel. Self-retaining retractor with blunt hooks.

B 61213 4 10 cm



Weitlaner

Stainless Steel. Self-retaining retractor with hooks.

B 61215	4-1/2"	11.5	cm	2 x 3 Sharp Prongs	
B 61216	4-1/2"	11.5	cm	2 X 3 Blunt Prongs	
B 61218	5-1/2"	14	cm	3 X 4 Blunt Prongs	17 mm Deep
B 61219	5-1/2"	cm	16.5	3 X 4 Sharp Prongs	17 mm Deep
B 61222	6-1/2"	cm	20	3 X 4 Sharp Prongs	18 mm Deep
B 61224	8"			3 X 4 Sharp Prongs	20 mm Deep



Gruber Rhinoplasty Retractor

Unique design for open rhinoplasty. Anatomical model is made of solid silicone. The model serves as a weight for self-retaining retraction. The retractor and chain are made of stainless steel.

B 61030 7 mm Wide Retractor Blade



Dingman Mouth Gag

Stainless Steel. Useful in cleft-palate surgery. Includes cheek retractor and three grooved tongue blades. Coiled springs for suture.

B 61225



Tebbetts™ Angulated Breast Dissector

Stainless Steel. Used to create submammary pocket in transaxillary augmentation.

B 63703 13" 33 cm



Tebbetts™ Spatulated Breast Dissector

Stainless Steel. Designed to be used with all three augmentation approaches.

B 63704 13" 33 cm



Agris-Dingman Transaxillary Dissector

Stainless Steel. Used to create submammary pocket in transaxillary augmentation.
Rounded flattened tips. Set of two.

B 63700 14" 36 cm



MacCollum-Dingman Breast Dissector

Stainless Steel. Facilitates tissue dissection when utilizing transaxillary augmentation.

B 63702 16" 41 cm



Emory Breast Dissector

Stainless Steel. Designed to be used with all three augmentation approaches.

B 65220 13" 33 cm



Trepset Dissector

Stainless Steel. Excellent for flap dissection. Oval shape dissecting platform for atraumatic spread dissection.

B 63710 8" 20.5 cm straight, blunt




Janis Dissector

Stainless Steel. Excellent for flap dissection. Large dissecting platform for atraumatic spread dissection.

B 63711 9-1/2" 24 cm straight, blunt

B 63712 8" 20.5 cm straight, blunt







Hartman Mosquito

Stainless Steel. Delicate hemostatic forceps.



B 60300	3-1/2"	9 cm	Straight
B 60301	3-1/2"	9 cm	Curved



Halstead Mosquito

Stainless Steel. Delicate hemostatic forceps.



B 60302	5"	12.5 cm	Straight
B 60303	5"	12.5 cm	Curved
B 60304	5"	12.5 cm	Straight 1 x 2 teeth
B 60305	5"	12.5 cm	Curved, 1 x 2 Teeth



Delicate Mosquito

Stainless Steel. Delicate hemostatic forceps.



B 60308	4-1/2"	11.5 cm	Regular Jaw, Straight
B 60309	4-1/2"	11.5 cm	Regular Jaw, Curved
B 60310	5-3/4"	14.5 cm	Regular Jaw, Straight
B 60311	5-3/4"	14.5 cm	Regular Jaw, Curved



Kelly

Stainless Steel. Hemostatic forceps.



B 60313	5-1/2"	14 cm	Straight
B 60314	5-1/2"	14 cm	Curved



Crile

Stainless Steel. Hemostatic forceps.



B 60317	5-1/2"	14 cm	Curved
B 60316	5-1/2"	14 cm	Straight
B 60319	6-1/4"	16 cm	Curved



Kocher

Stainless Steel. General purpose forceps with heavy jaws and 1x2 teeth.



B 60330	5-1/2"	14 cm	Straight
B 60331	5-1/2"	14 cm	Curved
B 60334	6-1/4"	16 cm	Straight
B 60335	6-1/4"	16 cm	Curved



Rochester-Pean

Stainless Steel. General purpose forceps with heavy jaws.


B 60320	6-1/4" 6-	16 cm	Straight
B 60322	1/4"	16 cm	Curved



Adson

Stainless Steel. Delicate long hemostatic forceps. Strong curve.



B 60358	7-1/4"	18.5 cm	Curved
---------	--------	---------	--------



Schmidt Tonsil

Stainless Steel. Delicate long hemostatic forceps.


B 60730	7-1/2"	19 cm	Half Curved
B 60736	7-1/2"	19 cm	Full Curved



Cox Delicate Hemostatic Forceps

Stainless Steel. Extra long delicate forceps with slight curve.

B 67575	14"	35	cm	Curved
B 67576	12"	30	cm	Curved



Lahey Vulsellum

Stainless Steel. General purpose forceps. Useful to grab and hold undermined flaps during rhytidectomy.

B 60363	6"	15.5	cm
---------	----	------	----



Allis

Stainless Steel. General purpose forceps with delicate teeth.

B 60349	6" 15 cm	4 x 5 Teeth
B 60350	6" 15 cm	5 x 6 Teeth
B 60351	7-1/2" 19 cm	5 x 6 Teeth
B 60348	8" 20 cm	6 x 7 Teeth



Non-Penetrating Towel Clamp

Stainless Steel. Towel forceps with non-penetrating jaws.

B 60352	5-1/4"	13.3	cm
---------	--------	------	----



Backhaus Towel

Stainless Steel. Towel forceps.

B 60342	3-1/2"	9 cm
B 60343	5-1/2"	14 cm



Edna Towel

Stainless Steel. Non-perforating towel forceps.

B 60344	4"	10 cm
B 60345	5-1/2"	14 cm



Foerster Sponge-Holding Forceps

Stainless Steel. General purpose forceps.

B 60346	7"	18 cm
B 60347	9-1/2"	24 cm



Tebbetts™ Septal Platform

Stainless Steel. Septal forceps with unique jaw design for gripping efficiency.

B 60677	7-1/4"	18.5 cm
---------	--------	---------



Sheen Fragment

Stainless Steel. Low profile shaft for retrieving fragments.

B 60085	7"	18 cm
---------	----	-------



Jansen Middleton

Stainless Steel. Used to reduce inferior turbinates and remove nasal polyps.
Angled shanks for greater visibility.

B 60852	7-3/4"	19.5 cm	7-	Large Fenestrated Jaws
B 60853	3/4"	19.5 cm		4 mm x 18 mm Cup Jaw

**Tebbetts™ Nasal**

Stainless Steel. Used for resection of nasal spine, vomer or turbinate concha.
Also useful for resection of small nasal bone or cartilage. Fine tips for precision.

B 63015	6-1/4"	16 cm		2.5 mm Jaw
---------	--------	-------	--	------------

**Beyer**

Stainless Steel. Double-action nasal rongeur.


B 63010	7"	18 cm		3 mm Jaw
---------	----	-------	--	----------

**Takahashi Cutting Forceps**

Stainless Steel. Used to remove fragments or nasal polyps.

B 63050	5-1/2"	14 cm		2.5 mm Jaw
---------	--------	-------	--	------------





D'Assumpcao

Stainless Steel. For marking of facial flaps.

B 62325	6-1/4"	16 cm
B 62326	6-1/4"	16 cm with Ratchet



Pitanguy

Stainless Steel.

B 62327	6-1/8"	16 cm	For marking of facial flaps
B 62328	12-1/2"	32 cm	For marking of adominal flaps



Mar ten

Stainless Steel. For marking of facial flaps.

B 62330	5-3/4"	14.5 cm
B 62331	5-3/4"	14.5 cm with Ratchet



Lockwood Abdominal Flap Demarcator

Stainless Steel. For marking abdominal flaps.

B 62320	12-1/2"	32 cm
---------	---------	-------



Trepsat, Serrated, SuperCut

Stainless Steel. Used for marking and cutting of facial flaps.

B 55985 6-3/4" 17 cm



Pitanguy Flap-Grasping Forceps

Stainless Steel. Two protruding teeth for positive traction.

B 60365 5-1/2" 14 cm



Freeman Areola Marker

Stainless Steel. For marking of areola before incision. Can be used with or without ink.


B 62333 34 mm Diameter
B 62334 36 mm Diameter
B 62335 38 mm Diameter
B 62332 40 mm Diameter
B 62336 42 mm Diameter
B 62337 45 mm Diameter
B 62338 50 mm Diameter



McKissock "Keyhole" Breast Reduction Marker

Stainless Steel. Graduated in centimeters. Used with Freeman Areola Markers.

B 62342 38 mm
B 62343 42 mm
B 62344 45 mm



Four-Ring Areola Marker

Stainless Steel. Marks four sizes, 40 mm, 44 mm, 48 mm, and 52 mm.
Use with marking ink.

B 62339 40, 44, 48 & 52 mm

**Joseph Nasal, Button End**

Stainless Steel. For planing nasal cartilage.

B 62110	6"	15 cm	Straight
B 62111	6-1/2"	16.5 cm	Angled

**Freer Mucosa**

Stainless Steel. For making cuts in nasal cartilage or cutting nasal mucosa. "D" Knife.

B 62113 6-1/2" 16.5 cm

**Ballenger Swivel**

Stainless Steel. Used for trimming septal cartilage.

B 62124	7-1/2"	19 cm	Straight, 4 mm Blade
B 62128	7-1/2"	19 cm	Bayonet, 4 mm Blade

**Tebbetts™ Precision Knife Handle**

Stainless Steel. Designed to fit comfortably in the hand. Rounded knurled handle for finger tip control.

B 62012	5-1/4"	13 cm	For Bard-Parker Type Blades 10-15
B 62014	5"	12 cm	For Beaver Type Blades

**Barron Octagonal Knife Handle**

Stainless Steel. Octagonal handle for Bard-Parker blades 10-15.

B 62008 5-1/2" 14 cm



Kaye Lightweight Knife Handle

Stainless Steel. Round lightweight aluminum handle.

B 62009 6-1/8" 15.5 cm For Bard-Parker Type Blades 10-15



Corwin Knife Handle

Stainless Steel. Round handle for finger tip control.

B 62010 5-3/4" 14.5 cm For Bard-Parker Type Blades 10-15



Knife Handle

Stainless Steel. Bard-Parker knife handle for Bard-Parker type blades 10-15.

B 62000 5" 12.5 cm #3



B 62001 4" 10 cm #3KS Holds miniature blades 50, 60, 70



B 62002 5-1/4" 13.5 cm #4 Holds blades 20-25



B 62003 6-1/2" 16.5 cm #7



NobleTouch™ Non-Stick Bi-Polar Forceps

NobleTouch™ non-stick bi-polar forceps are the latest in non-stick electrosurgery technology. Noble metals such as silver alloy are exceptionally efficient and highly conductive making them the optimal choice in electrosurgery forceps.

- Noble metal tips have excellent thermal conductivity--reduced hot spots help prevent sticking of tissue.
- Solid silver alloy tips ensure permanent non-stick performance and will not wear off.
- Solid silver alloy tips allow for high-precision shaping for tips and precise coagulation.
- Instrument, except for tips, are made of hardened stainless steel for greater feedback and tension.
- Improved insulation is resistant to abrasive cleaning agents, thus ensuring electrical reliability.



Adson Bipolar Forceps, Non-Stick

Delicate tips for precise coagulation. Fitted with proprietary silver alloy tips to reduce sticking and facilitate cleaning. Since the tip is not coated, the material does not wear off.

B 68210-06	0.6 mm Tip	4-3/4" 4-	12cm	Straight
B 68210-10	1.0 mm Tip	3/4"	12 cm	Straight



Semkin Bipolar Forceps, Non-Stick

Delicate tips for precise coagulation. Fitted with proprietary silver alloy tips to reduce sticking and facilitate cleaning. Since the tip is not coated, the material does not wear off.

B 68220-06	0.6 mm Tip	6"	15cm	Straight
B 68220-10	1.0 mm Tip	6"	15 cm	Straight
B 68225-06	0.6 mm Tip	6"	15cm	Angled
B 68225-10	1.0 mm Tip	6"	15 cm	Angled



Potts Smith Bipolar Forceps, Non-Stick

Delicate tips for precise coagulation. Fitted with proprietary silver alloy tips to reduce sticking and facilitate cleaning. Since the tip is not coated, the material does not wear off.

B 68230-06	0.6 mm Tip	7-1/4" 7-	18cm	Straight
B 68230-10	1.0 mm Tip	1/4"	18 cm	Straight



Cushing Bipolar Bayonet Forceps, Non-Stick

Fitted with proprietary silver alloy tips to reduce sticking and facilitate cleaning.
Since the tip is not coated, the material does not wear off.

B 68245-10 1.0 mm Tip 7-1/4" 18 cm



Jewelers Bipolar Forceps, Non-Stick

Delicate tips for precise coagulation. Fitted with proprietary silver alloy tips to reduce sticking and facilitate cleaning. Since the tip is not coated, the material does not wear off.

B 68260-025 0.25 mm Tip 4-1/2" 11cm Straight

B 68260-06 0.6 mm Tip 4-1/2" 11 cm Straight

B 68262-025 0.25 mm Tip 4 -1/2" 11cm Angled

B 68262-06 0.6 mm Tip 4-1/2" 11cm Angled



Bipolar Forceps

Delicate tips for precise coagulation. High polished to facilitate cleaning.

Semken Bipolar Forceps

Delicate tips for precise coagulation. Polished tips to facilitate cleaning.

B 68620-10 1.0 mm Tip 6" 15 cm Straight
Insulated



Jewelers Bipolar Forceps

Fine tips for precise coagulation. Polished tips to facilitate cleaning.

B 68610 3-3/4" 10 cm Straight



B 68610-1 3-3/4" 10 cm Straight
Insulated



Adson Bipolar Forceps

Delicate tips for precise coagulation. Polished tips to facilitate cleaning.

B 68615-1 4-3/4" 12 cm Straight
Insulated



McPherson Bipolar Forceps

Delicate tips for precise coagulation. Polished tips to facilitate cleaning.

B 68701 2-3/4" 7 cm Straight



B 68701-1 2-3/4" 7 cm Straight
Insulated



B 68711 2-3/4" 7 cm Angled



B 68711-1 2-3/4" 7 cm Angled
Insulated



Metzenbaum Bipolar Scissors, Curved

Facilitates simultaneous cutting and coagulation.

B 68750	7" 18 cm	Regular Jaw
B 68751	7" 18 cm	Delicate Jaw
B 68780	8" 21 cm	Regular Jaw
B 68781	8" 21 cm	Delicate Jaw



Cables

FEP insulation. Silicon jacket. Latex-free. Autoclavable.

Bipolar Cables

B 68100	For Bipolar Forceps 2 Banana, 2 Pin Plug, Angled 10' (3 m), Length
---------	--



B 68110	For Bipolar Scissors 2 Banana 10' (3 m), Length
---------	---



B 68105	For Bipolar Forceps 2 Banana, 2 Pin Plug, Straight 10 (3 m), Length
---------	---



B 68120	For Bipolar Scissors Valley Lab, Lamidey, EMC, 2 Pin Prong 10' (3 m), Length
---------	---



B 68115	For Bipolar Forceps Valley Lab, EMC, 2 Pin Plug 10' (3 m), Length
---------	---



Monopolar Cable	
B 68130	10' (3 m), Length



Emory Endoscopic Electrosurgical Dissector


Easy-to-use system for transaxillary breast augmentation. Electrodes are interchangeable with the electrode handle.

Note: Foot activation pedal is required for proper usage.

B 65227	14.5"	36.5 cm	Curved Shaft, Right and Left, Pair
---------	-------	---------	------------------------------------

B 65228	14 5"	36.5 cm	Straight Shaft, Angled Tip, Each
---------	-------	---------	----------------------------------

B 65300	Electrode Handle with Suction
B 65305	Quick Change Wheel Replacement for B653006
B 68130	Monopolar Cable, 10" (3m) Length



Tebbetts™ Hand-Activated Monopolar Insulated Forceps

Long insulated forceps for multiple procedures. Fine tips for accuracy and speed of tissue dissection. The hand-activated switch eliminates the need for foot pedals and allows the surgeon to use one instrument for both tissue dissection and hemostasis, saving time. Comes with pre-attached cord and can be used with most ESUs.



B 65244	10"	25.5 cm
B 65245	7"	17.5 cm



Crow, Insulated Forceps

Tungsten Carbide. Insulated forceps for monopolar coagulation. Tungsten carbide inserts to grasp needles, suture and tissue.

B 50531-1	9"	23 cm	4000 Jaw
-----------	----	-------	----------



Maxwell, Insulated Forceps

Tungsten Carbide. Insulated forceps for monopolar coagulation. Tungsten carbide inserts to grasp needles, suture and tissue.

B 50533-1	9"	23 cm	4000 Jaw
-----------	----	-------	----------



Skinner, Insulated Forceps

Tungsten Carbide. Insulated forceps for monopolar coagulation. Tungsten carbide inserts to grasp needles, suture and tissue.

B 50539-1	9"	23 cm	4000 Jaw, 1 x 2
-----------	----	-------	-----------------



Cushing Bayonet, Insulated Forceps

Tungsten Carbide. Insulated bayonet-shaped forceps for monopolar coagulation. Tungsten carbide inserts to grasp needles, suture and tissue.

B 50524-1	9"	23 cm	4000 Jaw
B 50525-1	7-1/2"	19 cm	4000 Jaw



Micro Onyx Dissection Needle

Fine needle tungsten tips for precise tissue dissection.

B 68000 1-3/4" 4.3 cm Straight Each



B 68005 2-1/2" 6.3 cm Straight Each



B 68020 3-3/4" 9.3 cm Straight Each



B 68030 5-1/4" 13.3 cm Straight Each



B 68010 1-3/4" 4.3 cm 45° Angled Each



B 68015 2-1/2" 6.3 cm 45° Angled Each



B 68025 3-3/4" 9.3 cm 45° Angled Each



B 68035 5-1/4" 13.3 cm 45° Angled Each



Frazier Suction Tubes

Stainless Steel. General purpose suction tubes.

B 67004-1 7" 18 cm 10 French insulated

B 67006-1 7" 18 cm 12 French insulated



**Joseph Nasal Saw**

Stainless Steel. For removing nasal bone.

B 62150	7-1/4"	18.5 cm	Left Bayonet
B 62151	7-1/4"	18.5 cm	Right Bayonet
B 62152	7-1/4"	18.5 cm	Straight

**Dingman Otoabrader**

Stainless Steel. For scoring of ear cartilage during otoplasty. Two per set.

B 62400	6"	15 cm
---------	----	-------

**Fox Dermal Curette**

Stainless Steel. General purpose skin curettes.

B 63102	5-1/2"	14 cm 3 mm
B 63103	5-1/2"	14 cm 4 mm
B 63104	5-1/2"	14 cm 5 mm

**Converse Double-Ended Curette**

Stainless Steel. For removal of bone particles following rasping of nasal bone.

B 63106	7-3/4"	20 cm
---------	--------	-------

**Asch Septum Straightening Forceps**

Stainless Steel. For straightening the nasal septum.

B 60860	9"	23 cm	Angled
---------	----	-------	--------



Frazier Suction Tubes

Stainless Steel. General purpose suction tubes.

B 67000	7"	18 cm	5 French	6
B 67001	7"	18 cm	French	7
B 67002	7"	18 cm	French	8
B 67005	7"	18 cm	French	9
B 67003	7"	18 cm	French	10
B 67004	7"	18 cm	French	12
B 67006	7"	18 cm	French	14
B 67008	7"	18 cm	French	

B 67004-1	7"	18 cm	10 French	insulated
B 67006-1	7"	18 cm	12 French	insulated



Yankauer Suction Tubes

Stainless Steel. General purpose suction tubes.

B 67015	11-3/4" 30 cm
---------	---------------



Autoclaveable Corneal Protection Shields

Designed to cover the globe during surgery. Not intended to be used with laser. High polish finish. Available in opaque white with or without handle. Each shield is packaged in a non-sterile pouch ready for autoclaving. Shields are sold one per pack.

B 67560	With Silicone Suction Cup	Pediatric	18 x 14 mm
B 67561	With Silicone Suction Cup	Small	1 x 18 mm
B 67562	With Silicone Suction Cup	Medium	22 x 21 mm
B 67563	With Silicone Suction Cup	Large	24 x 22 mm
B 67565	With Handle	Pediatric	18 x 14 mm
B 67566	With Handle	Small	21 x 18 mm
B 67567	With Handle	Medium	22 x 21 mm
B 67568	With Handle	Large	24 x 22 mm
B 67569	Silicone Suction Cup	2 per pack	non-sterile



Blepharoplasty Simulator

Used for patient consultation to simulate blepharoplasty procedure results.

B 62350

**Guyuron Nasal Tip Cartilage Punch**

Designed to cut harvest cartilage into desired shapes. Features a manual reusable punch. Saves time during preparation of nasal cartilage for re-introduction of nasal tip graft and provides consistent results.

B 67240 Punch, Heart Shape with Handle

B 67241 Punch, Figure-eight Shape with Handle

**Gruber Silicone Cutting Block**

With Space for Alluminum Cartilage Grids B 67221, B 67224 and B 67225.

B 61035 6" x 6"



Gruber Silicone Nasal Tip Sizers

Set of 3 (Small, Medium, Large).


B 61038



Gruber Dorsal Sizers

Set of 4

B 61037





Sterilization Tray

Plastic instrument tray used to sterilize, store, and transport delicate instruments.
Silicone mats and clear lid for secure and easy identification of instruments.

B 66200	4" x 8" x .75"	
B 66205	7" x 11" x .62"	Single Level Shallow
B 66206	7" x 11" x 1.36"	Single Level Deep
B 66207	7" x 11" x 1.36"	Double Level



Sterilization Tray

Plastic instrument tray used to sterilize, store, and transport delicate instruments.
Unique hinged lid design provides easy use. Silicone mats to secure instruments.


B 66210	4.5" x 8" x .61"
B 66211	4.5" x 8" x 1.2"



Sterilization Case

Plastic instrument tray allows maximum flexibility for instrument set configurations.
Solid locking lid and silicone mats to secure instruments.

B 66215	9.5" x 20" x 4"	Double Level
B 66216	9" x 18" x 2"	Single Level
B 66217	Plastic Snap-In Post	12/Package
B 66218	Silicone Tie-Downs	12/Package
B 66219	Removal Tool for Snap-In Post	
B 66220	Sterilization Mat Accessories	19" x 14"
	Cut to fit various applications.	



Sterilization Scope Case

Adjustable cradles to accommodate various scope lengths. Holds two scopes 1 mm to 10 mm diameter. Clear lid for easy identification.

B 66225	10.67" x 2.75" x 1.38"
---------	------------------------



Instrument Wrap

- B 66305 18 Pocket
B 66306 21 Pocket



Stainless Steel Instrument Tray

Stainless Steel.

- B 66250 10-1/2" x 20" x 3-1/2"



Sterilization Pan

Stainless Steel.

- B 66270 9" x 5" x 2"
B 66271 10" x 6" x 2"



Instrument Stringer

Locking instrument stringer holder.

- B 66269 8" x 2.5"



Mayo Instrument Tray

Stainless Steel. Perforated.

- B 66272 8-7/8" 5" x 2"
B 66273 10" x 6-1/2" x 2-1/4"
B 66274 12-1/4" x 7-3/4" x 2-1/4"
B 66275 10" x 6-1/2" x 3/4"
B 66276 13-11/16" x 9-13/16" x 3/4"
B 66277 12-1/4" x 10-3/8" x 2-1/2"
B 66278 16-1/2" x 10" x 2-1/2"
B 66279 20-3/4" x 12-3/4" x 2-1/4"





Medicine Cup

Stainless Steel.

B 66280 2 oz. 2-1/8" x 2"



Emesis Basin

Stainless Steel.

B 66281 10 oz. 6-5/8" x 3-1/2" x 1-1/2"
 B 66282 12 oz. 8-1/8" X 3-5/8" X 1-5/8"
 B 66283 26 oz. 9-7/8" x 4-1/2" x 2-1/8"
 B 66284 50 oz. 12" x 5-1/2" x 2-3/8"



Iodine Cups

Stainless Steel.

B 66285 6 oz. 3-7/16" x 2"



Sponge Bowl

Stainless Steel.

B 66286 1 Qt.



Ramirez Type Endoscopic Plastic Instruments

The Ramirez Type endoscopic instruments are shaped to fit facial contours and designed for specific surgical maneuvers.

- Dissectors are numbered in order-of-use for easier identification and feature ergonomically designed handles for greater comfort and control.
- The versatility of the set allows the surgeon to perform both endoscopic forehead and facelifts.



Ramirez Type Endoscopic Forehead Frontotemporal Dissector, Straight

Stainless Steel. For the initial subperiosteal dissection through the incisions in the scalp.

B 65085 9-1/2" 24 cm #1



Ramirez Type Endoscopic Forehead Frontotemporal Dissector, Curved

Stainless Steel. For the initial subperiosteal dissection through the incisions in the scalp.

B 65086 9-1/2" 24 cm #2



Ramirez Type Endoscopic Forehead Parietal Periosteal Elevator

Stainless Steel. For quick subperiosteal or subgaleal posterior scalp dissection.

B 65084 10-1/2" 26.5 cm #3



Ramirez Type Endoscopic Forehead Temporal Line "T" Dissector

Stainless Steel. For elevation of the periosteum and superficial temporal fascia at the superior temporal line. Also used to complete the separation of the zygomatic arch.

B 65077 9-7/8" 25.3 cm #4



Ramirez Type Endoscopic Forehead Frontoglabellar Dissector

Stainless Steel. For dissecting and elevating the lower portions of the forehead.

B 65075 11" 28 cm #5



Ramirez Type Endoscopic Forehead Arcus Marginalis Dissector

Stainless Steel. Tip designed to accommodate the orbital rim for separation of the pericranium at the arcus marginalis.

B 65081 10" 25.5 cm #6



Ramirez Type Endoscopic Forehead Periosteal Spreader

Stainless Steel. For elevating the periosteum after the arcus marginalis release.

B 65080 10-1/4" 26 cm #7



Ramirez Type Endoscopic Forehead Flap Dissector

Stainless Steel. For elevation in continuity of the periosteum off the zygomatic arch.

B 65082 9-3/4" 25 cm #8



Ramirez Type Endoscopic Facelift Zygomatic Arch Elevator

Stainless Steel. Used through the eyelid approach to tunnel along the length of the zygomatic arch.

B 65083 8-3/4" 22.5 cm #9



Ramirez Type Endoscopic Facelift Midface Fascia Dissector

Stainless Steel. Used for the separation and elevation of the facial attachments to the masseter muscle.

B 65076 9-1/8" 23 cm #10



Ramirez Type Malleable Endoscopic Plastic Instruments

The Ramirez Type in-line ergo-style handle and malleable shaft instruments are the latest innovation in endoscopic plastic surgery instrumentation.

- Shafts are malleable and insulated making the instrument more versatile for multiple applications.
- Tactile feedback and sensitivity are greatly increased by the unique handle design.
- Easily positioned and manipulated by rolling the thumb and index finger.
- Designed for multiple hand positions, thereby increasing comfort and control.

Ramirez Type Endoscopic Forehead Arcus Marginalis Periosteal Scissors

Malleable scissors used to dissect the periosteum at or just above the arcus marginalis. Also for cutting the periosteal attachments to the superolateral orbital rim. Unique handle allows for right or left cutting.

B 65090 Curved 15 cm Shaft



Ramirez Type Endoscopic Forehead Corrugator Scissors

Malleable scissors for precise dissection of corrugator muscle through the lateral frontal incision.

B 65092 Curved 15 cm Shaft



Ramirez Type Endoscopic Forehead Procerus Punch

Malleable punch for precise resection of the procerus muscle.

B 65096 Straight 15 cm Shaft



Ramirez Type Endoscopic Forehead Corrugator Grasper

Malleable grasper for handling of tissue surrounding supratrochlear and supraorbital nerves.

B 65097 Straight 15 cm Shaft



Ramirez Type Endoscopic Facelift Needle Holder

Malleable needle holder for passing "SOOF" sutures. Also for attaching the intermediate fascia to the temporal fascia.

B 65099 Straight 15 cm Shaft



Daniel Endoscopic Plastic Instruments

The Daniel Endoscopic Forehead instruments have been developed for multiple endoscopic procedures.

- Each instrument is shaped to anatomical contours.
- Multiple instrument tips allow for a greater range of procedure techniques.

Daniel Endoscopic Forehead Scalp Elevator

Stainless Steel. For soft tissue elevation in the subgaleal plane.

Flat tip with rounded edges.

B 65050	Half Curved	9-1/4"	23.5 cm
---------	-------------	--------	---------



Daniel Endoscopic Forehead Elevator

Stainless Steel. This elevator has rounded edges and semi-sharp tips that come in four configurations. Straight to full curved.

B 65051	Half Curved	9-1/4"	23.5 cm
---------	-------------	--------	---------

B 65056	Straight	9-1/4"	23.5 cm
---------	----------	--------	---------

B 65058	Quarter Curved	9-1/4"	23.5 cm
---------	----------------	--------	---------

B 65059	Full Curved	9-1/4"	23.5 cm
---------	-------------	--------	---------



Daniel Endoscopic Forehead Nerve Dissector

Stainless Steel. Sharp tipped curved dissector for exposing the nerves by stripping the periosteum upward.

B 65052	Half Curved	9-1/4"	23.5 cm
---------	-------------	--------	---------



Daniel Endoscopic Forehead Orbital Rim Dissector

Stainless Steel. Orbital rim dissector for subperiosteal elevation. Sharp tip, half curved.

B 65053 Half Curved 9-1/4" 23.5 cm



Daniel Endoscopic Forehead Nerve Hook

Stainless Steel. Right angled hook for release, exposure, and manipulation of the nerves.

B 65054 Half Curved Left 9-1/4" 23.5 cm

B 65062 Half Curved Right 9 1/4" 23.5 cm



Daniel Endoscopic Forehead Knife Handle

Stainless Steel. Quarter curved knife for transection of the restraining periosteum.

B 65055 Quarter Curved 9" 23 cm



Daniel Endoscopic Forehead Suction Elevator

Stainless Steel. Quarter curved suction elevator facilitates dissection down to the zygomatic arch and onto the zygomatic bend.

B 65057 Quarter Curved 9-1/4" 23.5 cm



Frazier Suction Tubes

Stainless Steel. General purpose suction tubes.

B 67004-1 7" 18 cm 10 French insulated

B 67006-1 7" 18 cm 12 French insulated



Daniel Endoscopic Plastic Instruments

The Daniel Endoscopic Forehead instruments have been developed for multiple endoscopic procedures.

- New innovative thumb-actuated ring handles provide greater tactile feedback with less unwanted tip movement than traditional ring handle instruments.
- Shafts are malleable and insulated making the instrument more versatile for multiple applications.
- Multiple instrument tips allow for a greater range of procedure techniques.

Daniel Endoscopic Forehead Scissors, Curved

Malleable scissors allow transection of fascia and periosteum.

New handle design allows for better control and less tip movement. Insulated shaft permits cauterization.

B 65020	Straight Blade, Left Curved	6"	15 cm
B 65021	Straight Blade, Right Curved	6"	15 cm



Daniel Endoscopic Forehead Hook Scissors, Straight

Malleable hook scissors allow transection of fascia and periosteum. New handle design allows for better control and less tip movement. Insulated shaft permits cauterization.

B 65022	Curved Blade, Straight	6"	15 cm
---------	------------------------	----	-------



Daniel Endoscopic Forehead Grasping Forceps

Malleable grasping forceps for manipulation and cauterization.

New handle design allows for better control and less tip movement. Insulated shaft permits cauterization.

B 65023	Left Curved	6"	15 cm
B 65025	Right Curved	6"	15 cm



Daniel Endo Cup Biopsy Forceps, Straight

Malleable punch for precise resection of the procerus muscle.

New handle design allows for better control and less tip movement. Insulated shaft permits cauterization.

B 65030	Straight	6"	15 cm
---------	----------	----	-------



Emory Endoscopic Plastic Retractor

Stainless Steel. Single handled breast retractor. Designed for a special length 10 mm scope. Incorporates a locking mechanism to secure scope.

- B 65200 1" x 7", 2.5 cm X 18 cm Blade for 10 mm Scope with Suction
- B 65217 1" x 10", 2.5 cm X 18 cm Blade for 10 mm Scope with Suction
- B 65218 9/16" x 7" Blade for 5 mm Scope without Suction



Emory Endoscopic Breast Dissector

Stainless Steel. For dissection of the subpectoral space.

- B 65220 13" 33 cm



Emory Endoscopic Electrosurgical Dissector

Easy-to-use system for transaxillary breast augmentation. Electrodes are interchangeable with the electrode handle. Note: Foot activation pedal is required for proper usage.

- B 65227 14.5" 36.5 cm Curved Shaft, Right and Left, Pair

- B 65228 14 5" 36.5 cm Straight Shaft, Angled Tip, Each

- B 65300 Electrode Handle with Suction

- B 65305 Quick Change Wheel Replacement for B653006



Monopolar Cable

FEP insulation. Silicon jacket. Latex-free. Autoclavable.

- B 68130 10', 3 m Length



In-Line Ergo-Style Abdominal Needle Holder

Tungsten Carbide. Abdominal needle holder with 4000 jaw.

B 65100 12-1/2" 32 cm 4000 jaw
Straight



Tebbetts™ Hand-Activated Monopolar Insulated Forceps

Long insulated forceps for multiple procedures. Fine tips for accuracy and speed of tissue dissection. The hand-activated switch eliminates the need for foot pedals and allows the surgeon to use one instrument for both tissue dissection and hemostasis, saving time. Comes with pre-attached cord and can be used with most ESUs.



B 65244 10" 25.5 cm
B 65245 7" 17.5 cm



Del Campo Dissector

Tungsten Carbide. Long malleable shaft with tungsten carbide insert. For hard-to-reach areas.

B 65150 8-1/4" 21 cm



Graivier Mid-Face Dissector

Hockey stick shaped dissector used for mid-face dissection above or below the periosteum. Angled end allows medial dissection over maxilla and zygoma below SOOF, muscles, and facial soft tissue. Insertion site through small temporal incision allows distant controlled dissection.

B 65070 12.5" 31.5 mm Right
B 65071 12.5" 31.5 mm Left





Endoscopic Plastic Scope

Stainless Steel. Thirty degree rod lens. Steam autoclavable endoscope.

B 65910	30 Degree, 10 mm Diameter	7"	17.5 cm
B 65920	30 Degree, 5 mm Diameter	7"	17.5 cm



Ramirez Cobra Cannula

Stainless Steel. Designed to shield surrounding tissue.

Unique cobra shaped hood to aid in tissue elevation.

Can be used with 4 mm or 5 mm endoscopes.

B 65111	Single Stop-Cock for 5 mm Scope
B 65117	Low Profile for 5 mm Scope Without Stop-Cock



Daniel Endoscopic Forehead Cannula

Stainless Steel. Designed to shield surrounding tissue.

B 65105	Single Stop-Cock for 5 mm Scope
---------	---------------------------------



Fenestrated Endoscopic Forehead Cannulas

Stainless Steel. Unique fenestrated hood intended for dissection and greater elevation. Designed to shield surrounding tissue.

B 65113	Single Stop-Cock for 5 mm Scope, Fenestrated 7 x 17 mm
B 65114	Single Stop-Cock for 5 mm Scope, Fenestrated 12 x 23 mm



Guyuron Endoscopic Access Device

Silicon port protects the incision site against entry of hair and from trauma during repeated insertion of instruments. Internal flange retains the device in place.

Flexible design assists in the angulation of instruments and prevents collapsing of the tube when instruments are fed through.

B 67275	Packged Sterile, 10/Box
---------	-------------------------





SH MEDEXPERTS
BY SILKY HORIZON



+92-51-7069138
+92-310-7770441



shmedexperts@silkyhorizon.com.pk



**OFFICE NO.1 FIRST FLOOR, MUZAFFAR CHAMBER
BLUE AREA ISLAMABAD, PAKISTAN**



CERTIFICATIONS

